RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

March 29, 2016

Administrator
Corrigan Place ALF, Inc
11420 Corrigan Street
Spring Hill, FL 34609

Dear Administrator:

This letter reports the findings of a state licensure survey that was conducted on March 23, 2016 by a representative of this office. Enclosed is the provider's copy of the State (5000-3547) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at http://ahca.myflorida.com/Publications/Forms.shtml as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (386) 462-6201.

Sincerely,

Kriste J. Mennella
Field Office Manager

KJM/amw
Enclosure

1GGN

Alachua Field Office
14101 N W Hwy 441, Suite 800
Alachua, FL 32615-5669
Phone:(386) 462-6201; Fax:(386) 418-5300
AHCA.MyFlorida.com

| STATEMENT OF DEFICIENCIES | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X3) DATE SURVEY COMPLETED |
|---|---|---|
| | **AL11967838** | **03/23/2016** |
| NAME OF PROVIDER OR SUPPLIER<br>**CORRIGAN PLACE ALF INC** | STREET ADDRESS, CITY, STATE, ZIP CODE<br>**11420 CORRIGAN ST**<br>**SPRING HILL, FL 34609** | |

SUMMARY STATEMENT OF DEFICIENCIES
(FINDINGS PRECEDED BY TAGS AND REGULATORY IDENTIFYING INFORMATION)

**0000 Initial Comments**

On 3/23/2016 an abbreviated biennial re-licensure survey was conducted at Corrigan Place ALF. Deficient practice was not identified during the survey.