

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL11964511	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 5/9/2016
NAME OF FACILITY FRESH WATER AT HUDSON		STREET ADDRESS, CITY, STATE, ZIP CODE 14108 OLD DIXIE HIGHWAY HUDSON, FL 34667

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0081	Correction	ID Prefix A0083	Correction	ID Prefix A0086	Correction
Reg. # 58A-5.0191(2) FAC	Completed	Reg. # 58A-5.0191(4) FAC	Completed	Reg. # 58A-5.0191(9) FAC	Completed
LSC	05/09/2016	LSC	05/09/2016	LSC	05/09/2016
ID Prefix A0093	Correction	ID Prefix AZ815	Correction	ID Prefix	Correction
Reg. # 58A-5.020(2) FAC	Completed	Reg. # 408.809, 435.02(2), 435.06	Completed	Reg. #	Completed
LSC	05/09/2016	LSC	05/09/2016	LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☒	REVIEWED BY (INITIALS) PFB	DATE 5/9/16	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 3/29/2016		☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO		



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 10, 2016

Administrator
Fresh Water At Hudson
14108 Old Dixie Highway
Hudson, FL 34667

Dear Administrator:


This letter reports the findings of a state licensure survey desk review conducted on May 9, 2016 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the desk review.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call **Paul Brown**, HFES at (727) 552-2000.

Sincerely,

for 
Patricia Reid Cauffman
Field Office Manager

PRC/clt

Enclosure: State Form (5000-3547)

DT9D

