STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER	MULTIPLE CONSTRUCTION	DATE OF REVISIT
AL11967222 Y1	A. Building B. Wing Y2	5/13/2016 Y3

NAME OF FACILITY	STREET ADDRESS, CITY, STATE, ZIP CODE
MGR HOME, INC	5305 SW 137 CT MIAMI, FL 33175

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0077	Correction	ID Prefix A0162	Correction	ID Prefix	Correction
Reg. # 429.176 FS; 58A-5.019(1) FAC	Completed	Reg. # 58A-5.024(3) FAC	Completed	Reg. #	Completed
LSC	05/13/2016	LSC	05/13/2016	LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☐	REVIEWED BY (INITIALS)	DATE 5/17/16	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON	☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO
2/3/2016	

RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 17, 2016

Administrator
Mgr Home, Inc
5305 Sw 137 Ct
Miami, FL 33175

Dear Administrator:

This letter reports the findings of a Standard Biennial licensure survey revisit conducted on May 13, 2016 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at http://ahca.myflorida.com/Publications/Forms.shtml as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Verlande Exil, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis, RN
Field Office Manager

AMD:ve
Enclosure

DT9D

Miami Field Office
8333 N.W. 53rd Street, Suite 300
Miami, FL 33166
Phone:(305) 593-3100; Fax:(305) 593-3121
AHCA.MyFlorida.com

Facebook.com/ACHAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida