



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 31, 2016

Administrator
Brookdale Bluewater Bay
1551 Merchants Way
Niceville, FL 32578

Dear Administrator:


This letter reports the findings of a desk review state licensure survey revisit conducted on May 31, 2016 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided. Should you have any questions please call me at 850-412-4540.

Sincerely,


Donah Heiberg, M.S.W.
Field Office Manager

DH/kb
Enclosure

DT9D

Tallahassee Field Office
2727 Mahan Drive, Mail Stop #46
Tallahassee, FL 32308
Phone: 850-412-4540; Fax: (850) 922-9162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida

**AGENCY FOR HEALTH CARE
ADMINISTRATION**

PRINTED: 05/31/2016
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964709	(X3) DATE SURVEY COMPLETED R 05/31/2016
NAME OF PROVIDER OR SUPPLIER BROOKDALE BLUEWATER BAY	STREET ADDRESS, CITY, STATE, ZIP CODE 1551 MERCHANTS WAY NICEVILLE, FL 32578	

SUMMARY STATEMENT OF DEFICIENCIES
(FINDINGS PRECEDED BY TAGS AND REGULATORY IDENTIFYING INFORMATION)

0000 Initial Comments

A desk review revisit to the Limited Nursing Services Monitoring survey was completed on May 31, 2016 for Brookdale of Blue Water Bay. Based on submitted evidence of correction and supporting documentation, deficiencies were found corrected.

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL 11964709	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 5/31/2016
NAME OF FACILITY BROOKDALE BLUEWATER BAY	STREET ADDRESS, CITY, STATE, ZIP CODE 1551 MERCHANTS WAY NICEVILLE, FL 32578	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0081	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 58A-5.0191(2) FAC	Completed	Reg. #	Completed	Reg. #	Completed
LSC	05/27/2016	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☒	REVIEWED BY (INITIALS) <i>KR</i>	DATE 5/31/16	SIGNATURE OF SURVEYOR <i>[Signature]</i>	DATE 5/31/16
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 4/4/2016

☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO