

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL11968248	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 6/16/2016
NAME OF FACILITY PERFECT PLACE 2 (THE)		STREET ADDRESS, CITY, STATE, ZIP CODE 2666 ACE ROAD PORT SAINT LUCIE, FL 34953

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0030	Correction	ID Prefix A0077	Correction	ID Prefix AZ813	Correction
Reg. # 58A-5.0182(6) FAC; 429.28(1-2) FS	Completed	Reg. # 429.176 FS; 58A-5.019(1) FAC	Completed	Reg. # 59A-35.090(3)(c), FAC	Completed
LSC	06/16/2016	LSC	06/16/2016	LSC	06/16/2016
ID Prefix AZ814	Correction	ID Prefix AZ816	Correction	ID Prefix AZ827	Correction
Reg. # 435.12(2)(b-d), FS	Completed	Reg. # 408.809(2)(a-c) FS	Completed	Reg. # 408.812, FS	Completed
LSC	06/16/2016	LSC	06/16/2016	LSC	06/16/2016
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☐	REVIEWED BY (INITIALS) <i>8/17/16</i>	DATE <i>8/17/16</i>	SIGNATURE OF SURVEYOR <i>J. Moore</i>	DATE <i>6/17/16</i>
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 4/6/2016
 ☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY?
 ☐ YES ☐ NO



RICK SCOTT
GOVERNOR
ELIZABETH DUDEK
SECRETARY

June 17, 2016

Administrator
The Perfect Place 2
2666 Ace Road
Port Saint Lucie, FL 34953

RE: Relicensure Survey Revisit

Dear Administrator:

This letter reports the findings of a state Relicensure survey revisit conducted on June 16, 2016 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,


Arlene Mayo-Davis
Field Office Manager

AMD
Enclosure

019D

Delray Beach Field Office
5150 Linton Boulevard, Suite 500
Delray Beach, FL 33484
Phone: (561) 381-5840; Fax: (561) 496-5924
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida