

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL11910760	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 6/20/2016
NAME OF FACILITY WINDSOR HOUSE		STREET ADDRESS, CITY, STATE, ZIP CODE 411 HAMILTON CRESCENT CLEARWATER, FL 33756

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0152	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 58A-5.023(3) FAC	Completed	Reg. #	Completed	Reg. #	Completed
LSC	06/20/2016	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY	☒	REVIEWED BY (INITIALS) <i>PFB</i>	DATE 6/29/16	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO	☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 5/6/2016			☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO		



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

June 30, 2016

Administrator
Windsor House
411 Hamilton Crescent
Clearwater, FL 33756


Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on June 20, 2016, by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiency was found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: Revisit Report

DT9D

St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone: (727) 552-2000; Fax: (727) 552-1162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida