

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL11966321	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 9/26/2016
NAME OF FACILITY AMERICAN WELL CARE	STREET ADDRESS, CITY, STATE, ZIP CODE 6333 LANGSTON AVENUE NEW PORT RICHEY, FL 34652	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0181	Correction	ID Prefix AZ814	Correction	ID Prefix	Correction
Reg. # 58A-5.026(2) FAC	Completed	Reg. # 435.12(2)(b-d), FS	Completed	Reg. #	Completed
LSC	09/26/2016	LSC	09/26/2016	LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☒	REVIEWED BY (INITIALS) <i>PFB</i>	DATE <i>10/5/16</i>	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON
7/25/2016

☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY?

☐ YES ☐ NO



RICK SCOTT
GOVERNOR

JUSTIN M. SENIOR
INTERIM SECRETARY

October 5, 2016

Administrator
American Well Care
6333 Langston Avenue
New Port Richey, FL 34652

Dear Administrator:

This letter reports the findings of a two state licensure survey revisits conducted on September 26, 2016, by representative(s) of this office.

Attached are the provider's copies of the Revisit Reports, which indicate the previously cited deficiencies were found corrected on the day of the revisits. **You will not receive a copy of this report in the mail; you will only receive these faxed reports.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,
Paul Brown
for Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosures: Revisit Reports

DT9D

St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone:(727) 552-2000; Fax:(727) 552-1162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida