

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11966757	(X3) DATE SURVEY COMPLETED 09/30/2016
NAME OF PROVIDER OR SUPPLIER LIFESTYLE LIVING #2	STREET ADDRESS, CITY, STATE, ZIP CODE 833 NORTH RAINBOW DRIVE HOLLYWOOD, FL 33021	

SUMMARY STATEMENT OF DEFICIENCIES
(FINDINGS PRECEDED BY TAGS AND REGULATORY IDENTIFYING INFORMATION)

0000 Initial Comments

An unannounced Relicensure survey was conducted on 9/30/2016 at Lifestyle Living # 2 (license #10901). The facility had no deficiencies at the time of the visit.



RICK SCOTT
GOVERNOR

JUSTIN M. SENIOR
INTERIM SECRETARY

October 17, 2016

Administrator
Lifestyle Living #2
833 North Rainbow Drive
Hollywood, FL 33021


Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on September 30, 2016 by a representative of this office. Attached is the provider's copy of the State (5000-3547) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,


Arlene Mayo-Davis
Field Office Manager

AMD/dso
Enclosure: State 3020-3547

1GGN

Delray Beach Field Office
5150 Linton Boulevard, Suite 500
Delray Beach, FL 33484
Phone: (561) 381-5840; Fax: (561) 496-5924
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida