

**AGENCY FOR HEALTH CARE
ADMINISTRATION**

PRINTED: 02/08/2019
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11966112	(X3) DATE SURVEY COMPLETED R 01/25/2019
NAME OF PROVIDER OR SUPPLIER ORANGE BLOSSOMS VILLA	STREET ADDRESS, CITY, STATE, ZIP CODE 10331 PIPPIN LANE ROYAL PALM BEACH, FL 33411	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAGS AND REGULATORY IDENTIFYING INFORMATION)		
0000 - Initial Comments An unannounced desk review revisit to the licensure complaint survey, CCR #2017013501 was conducted on for Orange Blossom Villa, License #10383. The facility had an uncorrected deficiency at the time of the survey. 0181 - Emergency Plan Approval - 58A-5.026(2) FAC Based on record review, and interview, the facility failed to ensure that their Comprehensive Emergency Management Plan (CEMP) was up-to-date and approved by the Local County Emergency Management Division. The findings included: The Administrator was contacted by phone on at 11:27 AM as an attempt to request outstanding documentation from the local Emergency Management Division of an approved CEMP for the year 2019. During the call, the Administrator was unaware of the previous survey completed in the year 2018 regarding the uncorrected deficiency for the CEMP. It was stated that I thought all of that stuff was submitted and approved, and that I will call my Manager and give the surveyor a call The Administrator returned the call at 12:06 PM on and stated that I spoke with my manager and the CEMP expired in, around the time the last survey was conducted and that the facility has not submitted one since then. It was further stated that I will submit the most recent one that the facility has. The Administrator acknowledged the findings and provided no additional information for review prior to the close of the business day. Class III- Uncorrected		