

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968977	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 07/17/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

INSPIRED LIVING AT BONITA SPRINGS

**27221 BAY LANDING DR
BONITA SPRINGS, FL 34135**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 000}	Initial Comments An unannounced revisit survey was conducted on _____ at Inspired Living at Bonita Springs, an assisted living facility, in Bonita Springs, Florida. This is a follow-up to the emergency power plan monitoring survey on _____. The following is a description of the deficiency found at the time of the visit.	{A 000}		
{A 181}	58A-5.026(2) FAC Emergency Plan Approval (2) EMERGENCY PLAN APPROVAL. The plan must be submitted for review and approval to the local emergency management agency. (a) If the local emergency management agency requires revisions to the emergency management plan, such revisions must be made and the plan resubmitted to the local office within 30 days of receiving notification that the plan must be revised. (b) A new facility as described in Rule 58A-5.023, F.A.C., and facilities whose ownership has been transferred, must submit an emergency management plan within 30 days after obtaining a license. (c) The facility must review its emergency management plan on an annual basis. Any substantive changes must be submitted to the local emergency agency for review and approval. 1. Changes in the name, address, telephone number, or position of staff listed in the plan are not considered substantive revisions for the purposes of this rule. 2. Changes in the identification of specific staff must be submitted to the local emergency management agency annually as a signed and dated addendum that is not subject to review and approval.	{A 181}		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968977	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 07/17/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

INSPIRED LIVING AT BONITA SPRINGS

**27221 BAY LANDING DR
BONITA SPRINGS, FL 34135**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 181}	Continued From page 1 (d) The local emergency management agency is the final administrative authority for emergency management plans prepared by assisted living facilities. (e) Any plan approved by the local emergency management agency is considered to have met all the criteria and conditions established in this rule. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to have an approved Comprehensive Emergency Management Plan (CEMP). The findings included: On at 12:30 p.m., the executive director said she received a letter from the local emergency management coordinator indicating their CEMP was not approved. A review of this letter dated showed the facility's CEMP "does not currently meet the Emergency Management Criteria requirements set forth by the Agency for Health Care Administration." Class III	{A 181}		