

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 000}	Initial Comments An unannounced revisit survey was conducted on _____ at Kingshouse Retirement Center, an assisted living facility in Labelle, Florida. This was a follow-up to the abbreviated biennial, emergency power plan monitoring and limited nursing services survey completed on _____. The following is a description of the deficiencies found at the time of the visit.	{A 000}		
{A 200}	58A-5.036 FAC Emergency Environmental Control (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure _____ air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square _____ per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed	{A 200}		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 1 capacity as the number of residents to be used in the _____ to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in Section 408.821, F.S., and subsection 58A-5.026(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to Chapter 252, F.S., must maintain an alternative power source and fuel as required by this subsection at all times when the assisted	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 2 living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 3 Section 252.36, F.S., that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall submit its plan to the local emergency management agency for review within 30 days of the effective date of this rule. Assisted living facility plans previously submitted and approved pursuant to Emergency Rule 58AER17-1, F.A.C., will require resubmission only if changes are made to the plan. (b) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (c) Each existing assisted living facility that undergoes any additions, modifications,	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 4 alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the local emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within two (2) business days of the approval of the plan from the local emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the local emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) The Agency shall allow an extension up to	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 5 to providers in compliance with subsection (c), below, and who can show delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes. Assisted living facilities shall notify the Agency that they will utilize the extension and keep the Agency apprised of progress on a quarterly basis to ensure there are no unnecessary delays. If an assisted living facility can show in its quarterly progress reports that unavoidable delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes will occur beyond the initial extension date, the assisted living facility may request a waiver pursuant to Section 120.542, F.S. (c) During the extension period, an assisted living facility must make arrangements pending full implementation of its plan that provides the residents with an area or areas to congregate that meets the safe indoor air temperature requirements of paragraph (1)(a), for a minimum of ninety-six (96) hours. 1. An assisted living facility not located in an evacuation zone must either have an alternative power source onsite or have a contract in place for delivery of an alternative power source and fuel when requested. Within twenty-four (24) hours of the issuance of a state of emergency for an event that may impact primary power delivery for the area of the assisted living facility, it must have the alternative power source and no less than ninety-six (96) hours of fuel stored onsite. 2. An assisted living facility located in an evacuation zone pursuant to Chapter 252, F.S., must either: a. Fully and safely evacuate its residents prior to the arrival of the event, or b. Have an alternative power source and no less	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 6 than ninety-six (96) hours of fuel stored onsite, within twenty-four (24) hours of the issuance of a state of emergency for the area of the assisted living facility. (d) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (e) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (f) The Agency for Health Care Administration may request cooperation from the State Fire Marshal to conduct inspections to ensure implementation of the plan in compliance with this rule. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 7 maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of ... and heat injury; and, 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by Chapter 429, Part I, F.S., or Chapter 408, Part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule.	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 8 (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative: 1. Upon submission of the plan to the local emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a), above, in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: Based on a review of the facility records, observations made during a tour of the facility, and interview with the facility attorney, the facility remains non-compliant with the Emergency Power Plan. The findings included: 1. On at 10:25 a.m., there was no documentation to show that the facility Emergency Power Plan was approved by the	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 9 local emergency management. At the time of the finding the facility attorney said the plan was submitted on to the Hendry County Emergency Management Agency, but has not yet been returned. 2. On at 11:00 a.m., observation of two 38 kilowatt generators, each for 1/2 of the facility were permanently mounted in place. The intended fuel source is to be natural gas, which had not yet been connected by the gas company. The interim plan is to run the generators on propane. Each of the generators had a tank capable of running the respective generator for 24 hours. The tank on the main generator was approximately full and the tank on the rear generator was empty. This does not comply with the Variance - Condition of Variance found on page #9, paragraph #1 mandating 96 hours, and including a plan for the fuel. 3. On at 11:10 a.m., the interim temporary propane tanks were observed to be free-standing in the grass. There was no method of securing the tanks from severe weather conditions. Class II	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ815	408.809; 435.02(2); 435.06 FS Background Screening; Prohibited Offenses 408.809 Background screening; prohibited offenses.- (1) Level 2 background screening pursuant to chapter 435 must be conducted through the agency on each of the following persons, who are considered employees for the purposes of conducting screening under chapter 435: (a) The licensee, if an individual. (b) The administrator or a similarly titled person who is responsible for the day-to-day operation of the provider. (c) The financial officer or similarly titled individual who is responsible for the financial operation of the licensee or provider. (d) Any person who is a controlling interest. (e) Any person, as required by authorizing statutes, seeking employment with a licensee or provider who is expected to, or whose responsibilities may require him or her to, provide personal care or services directly to clients or have access to client funds, personal property, or living areas; and any person, as required by authorizing statutes, _____ with a licensee or provider whose responsibilities require him or her to provide personal care or personal services directly to clients, or _____ with a licensee or provider to work 20 hours a week or more who will have access to client funds, personal property, or living areas. Evidence of contractor screening may be retained by the contractor's employer or the licensee. (3) All _____ must be provided in electronic format. Screening results shall be reviewed by the agency with respect to the offenses specified in s. 435.04 and this section, and the qualifying or disqualifying status of the person named in the request shall be maintained in a database. The	CZ815		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ815	Continued From page 1 qualifying or disqualifying status of the person named in the request shall be posted on a secure website for retrieval by the licensee or designated agent on the licensee's behalf. (4) In addition to the offenses listed in s. 435.04, all persons required to undergo background screening pursuant to this part or authorizing statutes must not have an awaiting final disposition for, must not have been found guilty of, regardless of adjudication, or entered a plea of nolo contendere or guilty to, and must not have been adjudicated delinquent and the record not have been sealed or expunged for any of the following offenses or any similar offense of another jurisdiction: (a) Any authorizing statutes, if the offense was a felony. (b) This chapter, if the offense was a felony. (c) Section 409.920, relating to Medicaid provider fraud. (d) Section 409.9201, relating to Medicaid fraud. (e) Section 741.28, relating to domestic violence. (f) Section 777.04, relating to attempts, solicitation, and conspiracy to commit an offense listed in this subsection. (g) Section 817.034, relating to fraudulent acts through mail, wire, radio, electromagnetic, photoelectronic, or photooptical systems. (h) Section 817.234, relating to false and fraudulent insurance claims. (i) Section 817.481, relating to obtaining goods by using a false or expired credit card or other credit device, if the offense was a felony. (j) Section 817.50, relating to fraudulently obtaining goods or services from a health care provider. (k) Section 817.505, relating to patient brokering. (l) Section 817.568, relating to criminal use of personal identification information.	CZ815		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ815	Continued From page 2 (m) Section 817.60, relating to obtaining a credit card through fraudulent means. (n) Section 817.61, relating to fraudulent use of credit cards, if the offense was a felony. (o) Section 831.01, relating to forgery. (p) Section 831.02, relating to uttering forged instruments. (q) Section 831.07, relating to forging bank bills, checks, drafts, or promissory notes. (r) Section 831.09, relating to uttering forged bank bills, checks, drafts, or promissory notes. (s) Section 831.30, relating to fraud in obtaining medicinal drugs. (t) Section 831.31, relating to the sale, manufacture, delivery, or possession with the intent to sell, manufacture, or deliver any counterfeit controlled substance, if the offense was a felony. (u) Section 895.03, relating to racketeering and collection of unlawful debts. (v) Section 896.101, relating to the Florida Money Laundering Act. If, upon rescreening, a person who is currently employed or _____ with a licensee as of _____, and was screened and qualified under ss. 435.03 and 435.04, has a disqualifying offense that was not a disqualifying offense at the time of the last screening, but is a current disqualifying offense and was committed before the last screening, he or she may apply for an exemption from the appropriate licensing agency and, if agreed to by the employer, may continue to perform his or her duties until the licensing agency renders a decision on the application for exemption if the person is eligible to apply for an exemption and the exemption request is received by the agency no later than 30 days after receipt of the rescreening results by the person. (5) A person who serves as a controlling interest	CZ815		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ815	Continued From page 3 of, is employed by, or contracts with a licensee on _____, who has been screened and qualified according to standards specified in s. 435.03 or s. 435.04 must be rescreened by _____, in compliance with the following schedule. If, upon rescreening, such person has a disqualifying offense that was not a disqualifying offense at the time of the last screening, but is a current disqualifying offense and was committed before the last screening, he or she may apply for an exemption from the appropriate licensing agency and, if agreed to by the employer, may continue to perform his or her duties until the licensing agency renders a decision on the application for exemption if the person is eligible to apply for an exemption and the exemption request is received by the agency within 30 days after receipt of the rescreening results by the person. The rescreening schedule shall be: (a) Individuals for whom the last screening was conducted on or before _____ must be rescreened by _____. (b) Individuals for whom the last screening conducted was between _____, and _____, must be rescreened by _____. (c) Individuals for whom the last screening conducted was between _____, through _____, must be rescreened by _____. (6) The costs associated with obtaining the required screening must be borne by the licensee or the person subject to screening. Licensees may reimburse persons for these costs. The Department of Law Enforcement shall charge the agency for screening pursuant to s. 943.053(3). The agency shall establish a schedule of fees to cover the costs of screening.	CZ815		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
CZ815	Continued From page 4 (7)(a) As provided in chapter 435, the agency may grant an exemption from disqualification to a person who is subject to this section and who: - Does not have an active professional license or certification from the Department of Health; or - Has an active professional license or certification from the Department of Health but is not providing a service within the scope of that license or certification. (b) As provided in chapter 435, the appropriate regulatory board within the Department of Health, or the department itself if there is no board, may grant an exemption from disqualification to a person who is subject to this section and who has received a professional license or certification from the Department of Health or a regulatory board within that department and that person is providing a service within the scope of his or her licensed or certified practice. (8) The agency and the Department of Health may adopt rules pursuant to ss. 120.536(1) and 120.54 to implement this section, chapter 435, and authorizing statutes requiring background screening and to implement and adopt criteria relating to retaining _____ pursuant to s. 943.05(2). (9) There is no reemployment assistance or other monetary liability on the part of, and no cause of action for damages arising against, an employer that, upon notice of a disqualifying offense listed under chapter 435 or this section, terminates the person against whom the report was issued, whether or not that person has filed for an exemption with the Department of Health or the agency. 435.06 Exclusion from employment.- (1) If an employer or agency has reasonable cause to believe that grounds exist for the denial	CZ815			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ815	Continued From page 5 or termination of employment of any employee as a result of background screening, it shall notify the employee in writing, stating the specific record that indicates noncompliance with the standards in this chapter. It is the responsibility of the affected employee to contest his or her disqualification or to request exemption from disqualification. The only basis for contesting the disqualification is proof of mistaken identity. (2)(a) An employer may not hire, select, or otherwise allow an employee to have contact with any _____ person that would place the employee in a role that requires background screening until the screening process is completed and demonstrates the absence of any grounds for the denial or termination of employment. If the screening process shows any grounds for the denial or termination of employment, the employer may not hire, select, or otherwise allow the employee to have contact with any _____ person that would place the employee in a role that requires background screening unless the employee is granted an exemption for the disqualification by the agency as provided under s. 435.07. (b) If an employer becomes aware that an employee has been _____ for a disqualifying offense, the employer must remove the employee from contact with any _____ person that places the employee in a role that requires background screening until the _____ is resolved in a way that the employer determines that the employee is still eligible for employment under this chapter. (c) The employer must terminate the employment of any of its personnel found to be in noncompliance with the minimum standards of this chapter or place the employee in a position for which background screening is not required	CZ815		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ815	Continued From page 6 unless the employee is granted an exemption from disqualification pursuant to s. 435.07. (d) An employer may hire an employee to a position that requires background screening before the employee completes the screening process for training and orientation purposes. However, the employee may not have direct contact with persons until the screening process is completed and the employee demonstrates that he or she exhibits no behaviors that warrant the denial or termination of employment. (3) Any employee who refuses to cooperate in such screening or refuses to timely submit the information necessary to complete the screening, including _____, if required, must be disqualified for employment in such position or, if employed, must be dismissed. (4) There is no reemployment assistance or other monetary liability on the part of, and no cause of action for damages against, an employer that, upon notice of a conviction or _____ for a disqualifying offense listed under this chapter, terminates the person against whom the report was issued or who was _____, regardless of whether or not that person has filed for an exemption pursuant to this chapter. 435.02 Definitions.-For the purposes of this chapter, the term: (2) "Employee" means any person required by law to be screened pursuant to this chapter, including, but not limited to, persons who are contractors, licensees, or volunteers. This Statute or Rule is not met as evidenced by:	CZ815		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ815	Continued From page 7 Based on staff interview and record review, the facility failed to ensure one (Staff D) of four staff had a level 2 background screening completed. The findings included: A review of Staff D's personnel record showed she was hired in 1998. There was no background screening report in her file. On at 11:00 a.m., Staff E reviewed Staff D's personnel record and confirmed she could not find a level 2 background screening. On at 11:30 a.m., Staff D said her last background screening was completed in 2011. She confirmed she is a certified nursing assistant and helps residents with the self-care skills, has access to their personal belongings and records. The level 2 background screening expired in 2016. Unclassified	CZ815		
{CZ816}	408.809(2)(a-c); 59A-35.090(2)(d)-(3) Background Screening-Compliance Attestation 408.809 (2) Every 5 years following his or her licensure, employment, or entry into a contract in a capacity that under subsection (1) would require level 2 background screening under chapter 435, each such person must submit to level 2 background rescreening as a condition of retaining such license or continuing in such employment or contractual status. For any such rescreening, the agency shall request the Department of Law Enforcement to forward the person's	{CZ816}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{CZ816}	Continued From page 8 to the Federal Bureau of Investigation for a national criminal history record check unless the person's _____ are enrolled in the Federal Bureau of Investigation's national retained print _____ notification program. If the _____ of such a person are not retained by the Department of Law Enforcement under s. 943.05(2)(g) and (h), the person must submit _____ electronically to the Department of Law Enforcement for state processing, and the Department of Law Enforcement shall forward the _____ to the Federal Bureau of Investigation for a national criminal history record check. The _____ shall be retained by the Department of Law Enforcement under s. 943.05(2)(g) and (h) and enrolled in the national retained print _____ notification program when the Department of Law Enforcement begins participation in the program. The cost of the state and national criminal history records checks required by level 2 screening may be borne by the licensee or the person _____. Until a specified agency is fully implemented in the clearinghouse created under s. 435.12, the agency may accept as satisfying the requirements of this section proof of compliance with level 2 screening standards submitted within the previous 5 years to meet any provider or professional licensure requirements of the agency, the Department of Health, the Department of Elderly Affairs, the Agency for Persons with _____, the Department of Children and Families, or the Department of Financial Services for an applicant for a certificate of authority or provisional certificate of authority to operate a continuing care retirement community under chapter 651, provided that: (a) The screening standards and disqualifying offenses for the prior screening are equivalent to	{CZ816}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{CZ816}	Continued From page 9 those specified in s. 435.04 and this section; (b) The person subject to screening has not had a break in service from a position that requires level 2 screening for more than 90 days; and (c) Such proof is accompanied, under penalty of perjury, by an attestation of compliance with chapter 435 and this section using forms provided by the agency. 59A-35.090(2) Processing Screening Requests, Required Documents and Fees. (d) An Attestation of Compliance with Background Screening Requirements, AHCA Form 3100-0008, , herein incorporated by reference, available at http://www.flrules.org/Gateway/reference.asp?No=Ref-09106, and available from the Agency for Health Care Administration at: http://ahca.myflorida.com/MCHQ/Central_Service/Background_Screening/Regulations_Forms.shtml. This form must be completed by the individual and retained by the provider upon hire to attest that they meet the requirements for qualifying for employment, they have not been unemployed for more than 90 days from a position that requires Level 2 screening, and they agree to inform the employer immediately if for any disqualifying offense. (e) An administrator or chief financial officer must be screened and qualified prior to . . . to the position. (3) Results of Screening and Notification. (a) Final results of background screening requests will be provided through the Agency's secure website that may be accessed by all health care providers applying for or actively licensed through the Agency that are registered with the Care Provider Background Screening Clearinghouse. The secure website is located at:	{CZ816}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
NAME OF PROVIDER OR SUPPLIER KINGSHOUSE RETIREMENT CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 151 SOUTH MISSOURI STREET LA BELLE, FL 33935	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)
{CZ816}	Continued From page 10 apps.ahca.myflorida.com/SingleSignOnPortal. (b) If a Level 2 criminal history is incomplete, a certified letter will be sent to the individual being screened requesting the report and court disposition information. If the letter is returned unclaimed, a copy of the letter will be sent by regular mail. Pursuant to section 435.05(1)(d), F.S., the missing information must be filed with the Agency within 30 days of the Agency's request or the individual is subject to disqualification in accordance with section 435.06(3), F.S. (c) The eligibility results of employee screening and the signed Attestation referenced in subsection 59A-35.090(2), F.A.C., must be in the employee's personnel file, maintained by the provider. This Statute or Rule is not met as evidenced by: Based on staff interview and records reviewed, the facility failed to ensure signed attestation papers were signed for two (Staff D and E) of four employee records reviewed. The findings included: A review of Staff D's personnel records showed she was hired in 1998. There were no attestation papers signed in her personnel record. On at 10:30 a.m., the facility lawyer said he had the staff sign the attestation papers that were cited at the relicensure survey on On at 11:00 a.m., Staff E said she could not find this form in Staff D's record. A review of Staff E's personnel record showed she was hired in 1994. There were no attestation papers signed in her personnel record. On	{CZ816}	

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/04/2019
---	--	--	---

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

KINGSHOUSE RETIREMENT CENTER

**151 SOUTH MISSOURI STREET
LA BELLE, FL 33935**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{CZ816}	Continued From page 11 ... at 11:30 a.m., Staff E said she does not remember signing an attestation paper. She reviewed her personnel record and confirmed this form was not there. Unclassified	{CZ816}		