



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

December 11, 2025

Licensee
Garden Home AL LLC
16612 Seymore Drive
Minnetonka, MN 55345

RE: Project Number(s) SL37567016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on November 18, 2025, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEpHVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Casey DeVries, Supervisor

State Evaluation Team

Email: Casey.DeVries@state.mn.us

Telephone: 651-201-5917 Fax: 1-866-890-9290

CLN

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL37567016-0 On November 17, 2025, through November 18, 2025, the Minnesota Department of Health conducted a full survey at the above provider, and the following correction orders are issued. At the time of the survey, there were three residents: all of whom received services under the Assisted Living facility license. An immediate correction order was identified on November 18, 2025, issued for SL37567016-0, tag identification 0775. During the survey, the licensee took action to mitigate the immediate risk. However, noncompliance remained, and the scope and level remain unchanged.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag."The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. The letter in the left column is used for tracking purposes and reflects the scope and level issued pursuant to 144G.31 subd. 1, 2, and 3.		
0 460 SS=F	144G.41 Subdivision 1 Minimum requirements	0 460			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 460	Continued From page 1 (5) provide a means for residents to request assistance for health and safety needs 24 hours per day, seven days per week; (6) allow residents the ability to furnish and decorate the resident's unit within the terms of the assisted living contract; (7) permit residents access to food at any time; (8) allow residents to choose the resident's visitors and times of visits; (9) allow the resident the right to choose a roommate if sharing a unit; (10) notify the resident of the resident's right to have and use a lockable door to the resident's unit. The licensee shall provide the locks on the unit. Only a staff member with a specific need to enter the unit shall have keys, and advance notice must be given to the resident before entrance, when possible. An assisted living facility must not lock a resident in the resident's unit; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to provide a means for residents to request assistance for health and safety needs 24 hours a day, seven days a week. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include:	0 460			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 460	Continued From page 2 On November 17, 2025, approximately at 11:30 a.m., during the entrance conference, licensed assisted living director (LALD)-D stated there was no system in place for their residents to seek staff's assistance. LALD-D stated residents yell for help. LALD-D also stated it was a split-level home, and they had residents living on both levels. On November 17, 2025, at 12:30 p.m., during a facility tour, the surveyor observed a split-level home with no bells, call lights, pendants, or other means for the residents to seek staff's assistance. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 460			
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3 removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 4 review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated November 17, 2025, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection. TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.	0 480			
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents;	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 5 (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review the licensee failed to maintain a written emergency preparedness plan (EPP) with all the required content. This had the potential to affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: The licensee's EPP last reviewed May 28, 2025, lacked evidence of the following required content: - quarterly review of missing residents policy; - subsistence needs for staff and residents including emergency lighting;	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 6 - policies and procedures for volunteers; - arrangements with other facilities; - methods for sharing information; and - sharing information on occupancy/need. On November 18, 2025, at 11:25 a.m., licensed assisted living director (LALD)-D stated the licensee's alternative place for sheltering was a facility owned by the LALD and they did not have signed agreement. On November 18, 2025, at 11:41 a.m., LALD-D stated the missing resident plan was reviewed quarterly and there was no documentation for the review. LALD-D did not know why they were missing the above-mentioned items from the EPP and stated, "why did the consultant miss these?" LALD-D stated all the policies and procedures were located in the licensee's policies and procedures books, but they were not aware they needed to put them in the EPP. The licensee's Missing Resident policy dated April 23, 2025, indicated the missing resident procedure will be reviewed by the Director and Clinical Nurse Supervisor at least quarterly. Changes to the plan will be documented. The licensee's Emergency Management Policy dated January 25, 2025, indicated the licensee will have an identified plan in place to ensure the safety and well-being of residents and employees during periods of an emergency or a disaster that disrupts facility services. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 775	Continued From page 7	0 775			
0 775 SS=H	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to comply with Minnesota Fire Code, Minnesota Rules 7511. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, or a violation that had the potential to cause more than minimal harm to the resident), and was issued at a pattern scope (when more than a limited number of residents are affected, more than a limited number of staff are involved, or the situation has occurred repeatedly; but is not found to be pervasive). The findings include: On November 18, 2025, at 10:30 a.m., the surveyor toured the facility with unlicensed personnel (ULP)-A. The egress windows in resident sleeping rooms were opened by ULP-A and measured by the surveyor. The egress windows in resident sleeping rooms 2 and 3 did not meet the minimum requirements for safe egress. Egress windows clear open area measurements: Occupied sleeping room 3 - window one 30.5 inches width, 20.25 inches height, with a total clear area of 617 square	0 775			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 775	Continued From page 8 inches - window two 32 inches width, 14.25 inches height, with a total clear area of 456 square inches - window three 32 inches width, 14.25 inches height, with a total clear area of 456 square inches Unoccupied sleeping room 2 - window one 36 inches width, 17.5 inches height, with a total clear area of 630 square inches - window two 29.5 inches width, 19.5 inches height, with a total clear area of 575 square inches One window in each resident sleeping room must meet the minimum window opening size of at least 20 inches in width and, a minimum height of 20 inches, with a total clear area of at least 648 square inches (4.5 square feet). During the facility tour interview, ULP-A verified the egress window measurements. TIME PERIOD FOR CORRECTION: Immediate Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated November 18, 2025, for the specific violations related the physical environment under Minnesota Statute 144G.	0 775			
0 780 SS=E	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and:	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 9 (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a pattern scope (when more than a limited number of residents are affected, more	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 10 than a limited number of staff are involved, or the situation has occurred repeatedly; but is not found to be pervasive). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated November 18, 2025, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 780			
0 800 SS=F	144G.45 Subd. 2 (a) (4) Fire protection and physical environment (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 11 resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated November 18, 2025, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 800			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 12 readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated November 18, 2025, for the specific violations related the physical environment under Minnesota Statute 144G.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 13	0 810			
01620 SS=F	TIME PERIOD FOR CORRECTION: Twenty-one (21) days 144G.70 Subd. 2 (c-e) Initial reviews, assessments, and monitoring (a) Residents who are not receiving any assisted living services shall not be required to undergo an initial nursing assessment. (b) An assisted living facility shall conduct a nursing assessment by a registered nurse of the physical and cognitive needs of the prospective resident and propose a temporary service plan prior to the date on which a prospective resident executes a contract with a facility or the date on which a prospective resident moves in, whichever is earlier. If necessitated by either the geographic distance between the prospective resident and the facility, or urgent or unexpected circumstances, the assessment may be conducted using telecommunication methods based on practice standards that meet the resident's needs and reflect person-centered planning and care delivery. (c) Resident reassessment and monitoring must be conducted by a registered nurse: (1) no more than 14 calendar days after initiation of services; (2) as needed based on changes in the resident's needs; and (3) at least every 90 calendar days. (d) Sections of the reassessment and monitoring in paragraph (c) may be completed by a licensed practical nurse as allowed under the Nurse Practice Act in sections 148.171 to 148.285. A registered nurse must review the findings as part of the resident's reassessment. (e) For residents only receiving assisted living	01620			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01620	Continued From page 14 services specified in section 144G.08, subdivision 9, clauses (1) to (5), the facility shall complete an individualized initial review of the resident's needs and preferences. The initial review must be completed within 30 calendar days of the start of services. Resident monitoring and review must be conducted as needed based on changes in the needs of the resident and cannot exceed 90 calendar days from the date of the last review. (f) A facility must inform the prospective resident of the availability of and contact information for long-term care consultation services under section 256B.0911, prior to the date on which a prospective resident executes a contract with a facility or the date on which a prospective resident moves in, whichever is earlier. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure the registered nurse (RN) conducted ongoing resident assessment and reassessment, not to exceed 90 calendar days from the last date of the assessment for two of two residents (R1, R2). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: R1 R1 was admitted to the licensee on January 18,	01620			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01620	Continued From page 15 2025, with diagnoses that included hypertension, anxiety, chronic pain, depression, heartburn, major depressive disorder, and muscle spasms. R1's Service Plan with effective date of November 4, 2025, indicated R1 received services for bathing reminder, bed making, meal assistance, safety checks, and medication administration. R1's record included 90-day nursing assessments dated April 18, 2025, July 15, 2025, and October 21, 2025. The assessment completed on October 21, 2025, was 8 days past the 90-calendar day requirement. R2 R2 was admitted to the licensee on October 16, 2024. R2's diagnoses included major depressive disorder, anemia, asthma, attention deficit hyperactivity disorder, diabetic mellitus type two, hypertension, generalized anxiety schizoffective disorder, bipolar, schizophrenia, and traumatic brain injury. R2's Service Plan with effective date of November 4, 2025, indicated R2 received services for bathing reminder, housekeeping, bedmaking, laundry, meal assistance, safety checks, and medication administration. R2's record included 90-day nursing assessments dated April 17, 2025, July 15, 2025, and October 21, 2025. The assessment completed on October 21, 2025, was 8 days past the 90-calendar day requirement. On November 17, 2025, at 2:15 p.m., clinical nurse supervisor (CNS)-C stated, they did not know why R1 and R2's assessments were late	01620			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01620	Continued From page 16 and stated it might have been an oversight as they just started working for the licensee recently on October 1, 2025. The licensee's Assessment and Reassessment policy dated January 25, 2025, indicated on-going reassessment and monitoring will be conducted as needed based on changes in the needs of the resident and cannot exceed 90 calendar days from the last assessment. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01620			
01730 SS=F	144G.71 Subd. 5 Individualized medication management plan (a) For each resident receiving medication management services, a registered nurse, advanced practice registered nurse, or qualified staff delegated the task by a registered nurse must prepare and include in the service plan a written statement of the medication management services that will be provided to the resident. The facility must develop and maintain a current individualized medication management record for each resident based on the resident's assessment that must contain the following: (1) a statement describing the medication management services that will be provided; (2) a description of storage of medications based on the resident's needs and preferences, risk of diversion, and consistent with the manufacturer's directions; (3) documentation of specific resident instructions relating to the administration of medications; (4) identification of persons responsible for	01730			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01730	Continued From page 17 monitoring medication supplies and ensuring that medication refills are ordered on a timely basis; (5) identification of medication management tasks that may be delegated to unlicensed personnel; (6) procedures for staff notifying a registered nurse or appropriate licensed health professional when a problem arises with medication management services; and (7) any resident-specific requirements relating to documenting medication administration, verifications that all medications are administered as prescribed, and monitoring of medication use to prevent possible complications or adverse reactions. (b) The medication management record must be current and updated when there are any changes. (c) Medication reconciliation must be completed when a licensed nurse, licensed health professional, or authorized prescriber is providing medication management. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to develop an individualized medication management record with the required content for two of two residents (R1, R2). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect	01730			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01730	Continued From page 18 a large portion or all of the residents). The findings include: R1 R1 was admitted to the licensee on January 18, 2025, with diagnoses that included hypertension, anxiety, chronic pain, depression, heartburn, major depressive disorder, and muscle spasms. R1's Service Plan with effective date of November 4, 2025, indicated R1 received services for bathing reminder, bed making, meal assistance, safety checks, and medication administration. R2 R2 was admitted to the licensee on October 16, 2024, with diagnoses that included major depressive disorder, anemia, asthma, attention deficit hyperactivity disorder, diabetic mellitus type two, hypertension, generalized anxiety schizoaffective disorder, bipolar, schizophrenia, and traumatic brain injury. R2's Service Plan with effective date of November 4, 2025, indicated R2 received services for bathing reminder, housekeeping, bedmaking, laundry, meal assistance, safety checks, and medication administration. R1, and R2's Individualized Medication Management Plans (IMMP) and resident record lacked the following: - a description of storage of medications based on the resident's needs and preferences, risk of diversion, and consistent with the manufacturer's directions; - identification of persons responsible for monitoring medication supplies and ensuring that	01730			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01730	Continued From page 19 medication refills are ordered on a timely basis; and - procedures for staff notifying a registered nurse or appropriate licensed health professional when a problem arises with medication management services. On November 17, 2025, at 2:35 p.m., clinical nurse supervisor (CNS)-C stated it was an oversight that they did not have the missing items for medication management in the resident records. The licensee's Assessment of medications dated January 25, 2025, read, "f. Based on the results of the assessment, the RN will document an individualized medication management plan, including the following elements i. Description of medication management services to be provided ii. Description of medication storage based on resident need, preference, risk of diversion and per manufacturer's direction iii. Documentation procedures iv. Procedures for verification that medications are administered as prescribed v. Procedures for monitoring medication use to prevent complications or adverse reactions vi. Identification of person(s) responsible for monitoring medication supplies and ensuring refills are ordered in a timely manner vii. Identification of medication management tasks delegated to unlicensed staff viii. Procedures for notifying the registered nurse or licensed health profession regarding problems arising with medication management services". No further information was provided.	01730			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37567	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/18/2025
NAME OF PROVIDER OR SUPPLIER GARDEN HOME AL LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 16612 SEYMORE DRIVE MINNETONKA, MN 55345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01730	Continued From page 20 TIME PERIOD FOR CORRECTION: Seven (7) days	01730			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

GARDEN HOME AL LLC
16612 SEYMORE DRIVE
Minnetonka, MN 55345
Hennepin County
Parcel:

Phone:

License Info

License: HFID 37567

Risk:
License:
Expires on:
CFPM: Kamil Hassan
CFPM #: 57984; Exp: 4/18/2028

Inspection Info

Report Number: F8041251165
Inspection Type: Full - Single
Date: 11/17/2025 Time: 1:00 PM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 1
Delivery: Emailed

New Order: 4-200 Equipment Design and Construction

4-201.11GMN Priority Level: Priority 3 CFP#: 47

MN Rule 4626.0506G Discontinue serving TCS foods that are held for more than same-day service in an adult or child care center or boarding establishment or provide equipment that is certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program.

COMMENT: FACILITY HAS RESIDENTIAL EQUIPMENT. CHICKEN FRIED RICE THAT WAS PREPARED BY ESTABLISHMENT 11/16 SAVED TO BE SERVED AT A LATER DATE. FOOD WILL BE PREPARED FOR SAME DAY SERVICE ONLY IN THE FUTURE. CHICKEN FRIED RICE WAS PULLED FROM REFRIGERATOR DURING INSPECTION.

Comply By: 11/17/2025 Originally Issued On: 11/17/2025

Food & Beverage General Comment

Inspection was completed with the food service manager, Kamil Hassan. Dee Morissa was the lead Health Regulation Division Nurse Evaluator.

This establishment has a residential kitchen. The kitchen has laminate cabinets with a hollow base, tile flooring and a smooth ceiling. All found to be in good condition.

Kitchen has a one basin sink for food preparation and a separate handwashing sink. Amana dish machine has a high temp option and achieved a utensil surface temperature of at least 160F for sanitizing.

Discussed the following:

- Employee illness policy and logging requirements
- Reporting foodborne illness complaints to the health dept.
- Handwashing
- Date marking
- Glove-use and bare hand contact
- Proper food storage
- Vomit clean-up procedures
- Restrictions concerning serving a highly susceptible population

Report Number: F8041251165

Page: 2

Inspection Type: Full

Date: 11/17/2025

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F8041251165 from 11/17/2025



Kamil Hassan

Sarah Conboy,
Public Health Sanitarian Supervisor
651-201-3984
sarah.conboy@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info

GARDEN HOME AL LLC
Minnetonka
County/Group: Hennepin County

Inspection Info

Report Number: F8041251165
Inspection Type: Full
Date: 11/17/2025
Time: 1:00 PM

Food Temperature: **Product/Item/Unit:** hot dog; **Temperature Process:** Cold-Holding

Location: Samsung refrigerator in kitchen at 41 Degrees F.

Comment:

Violation Issued?: No

Food Temperature: **Product/Item/Unit:** ham; **Temperature Process:** Cold-Holding

Location: samsung refrigerator in kitchen at 40 Degrees F.

Comment:

Violation Issued?: No

Equipment Temperature: **Product/Item/Unit:** ambient air temp; **Temperature Process:** Ambient Air

Location: frigidaire refrigerator in basement at 40 Degrees F.

Comment:

Violation Issued?: No



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Page: 1

Establishment Info	Inspection Info
GARDEN HOME AL LLC	Report Number: F8041251165
Minnetonka	Inspection Type: Full
County/Group: Hennepin County	Date: 11/17/2025
	Time: 1:00 PM

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** Dish Machine

Location: Kitchen **Equal To** 169 Degrees F.

Comment:

Violation Issued?: No