



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

July 22, 2026

Licensee
Cure Home Health Inc
508 Van Buren Avenue
Saint Paul, MN 55103

RE: Project Number(s) SL37458016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on June 25, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

St - 0 - 0775 - 144g.45 Subd. 2. (a) - Fire Protection And Physical Environment - \$500.00

St - 0 - 0810 - 144g.45 Subd. 2 (b-F) - Fire Protection And Physical Environment - \$500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$1,000.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each

matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Jess Schoenecker, Supervisor

State Evaluation Team

Email: Jess.Schoenecker@state.mn.us

Telephone: 651-201-3789 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC			STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL#37458016-0 On June 22, 2026, through June 25, 2026, the Minnesota Department of Health conducted a survey at the above provider, and the following correction orders are issued. At the time of the survey, there were two (2) residents; 2 receiving services under the Assisted Living license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 550 SS=F	144G.41 Subd. 7 Resident grievances; reporting maltreatment	0 550			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC			STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 550	Continued From page 1 All facilities must post in a conspicuous place information about the facilities' grievance procedure, and the name, telephone number, and email contact information for the individuals who are responsible for handling resident grievances. The notice must also have the contact information for the Office of Ombudsman for Long-Term Care and the Office of Ombudsman for Mental Health and Developmental Disabilities and must have information for reporting suspected maltreatment to the Minnesota Adult Abuse Reporting Center. The notice must also state that if an individual has a complaint about the facility or person providing services, the individual may contact the Office of Health Facility Complaints at the Minnesota Department of Health. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to post the required information related to the grievance procedure and contact information for the name, telephone number, and e-mail contact information for the individuals who are responsible for handling resident grievances and the contact information for the Office of Ombudsman for Long-Term Care (OOLTC) and the Office of Ombudsman for Mental Health and Developmental Disabilities (OOMHDD). This had the potential to affect all the licensee's current residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when	0 550			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC		STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 550	Continued From page 2 problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On June 22, 2026, at approximately 9:50 a.m., during a facility tour, the common areas shared by residents, staff, and visitors lacked a posting of the grievance procedure to include the name, telephone number, and e-mail contact information for the individuals who were responsible for handling resident grievances and contact information for the OOLTC. On June 22, 2026, at approximately 10:30 a.m., clinical nurse supervisor (CNS)-B acknowledged the required content was not posted in the common areas. CNS-B stated it was an oversight by the licensee, and they would post the grievance procedure with the required information. The licensee's 2.10 Complaint/Grievance Posting policy dated August 1, 2021, indicated the licensee would post the grievance procedure with the required information in the facility. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 550			
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC		STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 3 contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to have a written emergency preparedness plan (EPP) with all the required content. This had the potential to affect all residents, employees, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents).	0 680		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC			STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 4 The findings include: On June 22, 2026, at approximately 11:00 a.m., clinical nurse supervisor (CNS)-B provided a binder and stated the contents were the licensee's EPP. The licensee's EPP dated August 1, 2025, lacked an individualized plan to include an EPP testing program. On June 22, 2026, at approximately 12:00 p.m., CNS-B acknowledged the licensee's EPP lacked a testing program and stated the licensee was working on the EPP and was unaware of all the EPP testing requirements. The licensee's 9.01 Emergency Preparedness Plan - Appendix Z Compliance policy dated August 1, 2021, indicated the licensee would conduct, at minimum, two emergency preparedness testing events every 12 months. Minnesota Administrative Rule 4659.0100 dated August 11, 2021, indicated assisted living facilities shall comply with the federal emergency preparedness regulations for long-term care facilities under Code of Federal Regulations, title 42, section 483.72, or successor requirements. This part referenced documents, specifications, methods, and standards in "State Operations Manual Appendix Z - Emergency Preparedness for All Provider and Certified Supplier Types: Interpretive Guidance." No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC		STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated June 24, 2026, for specific violations related to the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Two (2) days.	0 775			
0 800 SS=F	144G.45 Subd. 2 (a) (4) Fire protection and physical environment (4) keep the physical environment, including	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC			STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 6 walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated June 24, 2026, for specific violations related to the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC		STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 7	0 810			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC		STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 8 review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated June 24, 2026, for specific violations related to the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 810			
01880 SS=D	144G.71 Subd. 19 Storage of medications An assisted living facility must store all prescription medications in securely locked and substantially constructed compartments according to the manufacturer's directions and permit only authorized personnel to have access. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure medications were stored securely for one of two residents	01880			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC		STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01880	Continued From page 9 (R1) reviewed with medication management services. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include: On June 22, 2026, at 10:45 a.m., during the entrance conference, clinical nurse supervisor (CNS)-B stated the licensee provided medication management to all the residents. On June 22, 2026, at 11:00 a.m., during a tour of the facility with CNS-B, in R1's bedroom located on the lower level, the surveyor observed R1's medication albuterol sulfate 90 micrograms (mcg)/actuation aerosol inhaler (bronchodilator used to prevent and treat shortness of breath) was stored out in the open on top of a nightstand next to R1's bed. R1 was admitted on December 22, 2021, with a diagnosis that included depression and a history of respiratory failure. R1's Service Plan dated April 23, 2026, indicated R1's services provided included medication administration. R1's Medication Assessment for Safety dated January 1, 2026, indicated R1 was unable to safely self-administer medications.	01880			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37458	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/25/2026
NAME OF PROVIDER OR SUPPLIER CURE HOME HEALTH INC		STREET ADDRESS, CITY, STATE, ZIP CODE 508 VAN BUREN AVENUE SAINT PAUL, MN 55103			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01880	Continued From page 10 R1's Individualized Medication Management Plan dated January 1, 2026, indicated R1's medication management included storage of all medications in a locked medication cart located in the licensee's locked medication room. R1's prescription dated December 8, 2025, indicated albuterol sulfate HFA 90 mcg/actuation aerosol inhaler, inhale one (1) to two (2) puffs into the lungs every four (4) to six (6) hours as needed for shortness of breath. On June 22, 2026, at 11:05 a.m., CNS-B acknowledged R1's medication albuterol sulfate HFA 90 mcg/actuation aerosol inhaler was not stored properly and was unsure why. CNS-B also stated all resident medications should be stored in a locked medication cart located in the licensee's locked medication room. The licensee's 7.11 Medication Storage policy dated August 1, 2021, indicated the licensee would assure that medications would be stored consistently with each residents' medication management plan. No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	01880			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Cure Home Health Inc
508 VAN BUREN AVENUE
St Paul, MN 55103
Ramsey County
Parcel:

Phone:

License Info

License: HFID 37458

Risk:
License:
Expires on:
CFPM: AHMED MUSE SALAH
CFPM #: 4357; Exp: 12/18/2028

Inspection Info

Report Number: F8058261148
Inspection Type: Full - Single
Date: 6/22/2026 Time: 2:33:56 PM
Duration: minutes
Announced Inspection: No
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery: Emailed

No orders were issued for this inspection report.

Food & Beverage General Comment

HRD INSPECTOR CARL SAMROCK

RESIDENTIAL HOME WITH NON COMMERCIAL APPLIANCES AND FINISHES
LAMINATE FLOOR, STONE COUNTER, WOOD CABINETS AND PAINTED SHEETROCK

DISH WASHER 160 DF
41 CHEESE COOLER
41 GRAPES COOLER

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F8058261148 from 6/22/2026

ZAHRA YOUSUF
PIC

Aaron Gertz,
Public Health Sanitarian 3
651-201-4516
aaron.gertz@state.mn.us

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL37458016-0	Date: June 24, 2026
Facility Name: CURE HOME HEALTH INC	
Facility Address: 508 Van Buren Ave, St Paul, MN, 55103	

☒ **TAG IDENTIFICATION: 0775**

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Two (2) days

1. Each assisted living facility must comply with the provisions of the Minnesota State Fire Code (MSFC) in Minnesota Rules chapter 7511. [Minn. Stat. 144G.45 subd. 2]
2. In buildings that contain a fuel-burning appliance or fireplace, or attached private garage, carbon monoxide detection shall be installed in dwelling units within ten feet of bedrooms. Where a fuel burning appliance is located in a bedroom or its attached bathroom, carbon monoxide detection shall be installed within the bedroom. Carbon monoxide detection can be provided by carbon monoxide alarms installed in dwelling or sleeping units or a carbon monoxide detection system installed in the room or space that contains the fuel-burning appliance. [Minn. Stat. 144G.45 subd. 2; MSFC 915]

Comments: Facility didn't have carbon monoxide alarms outside of the resident rooms or alarms connected to the fire alarm panel at the source of fuel fire appliances.

☒ **TAG IDENTIFICATION: 0800**

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1. The physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment are in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. [Minn. Stat. 144G.45 subd.2]

Comments: The exterior glass of the living room window had a tennis ball sized hole in the glass.

The exterior outlet outside the kitchen patio door had the protective cover missing.

In resident room 1, the electrical outlet near the bedroom door had evidence of burn marks on the lower half of the outlet.

☒ **TAG IDENTIFICATION: 0810**

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1. Each assisted living facility shall develop and maintain fire safety and evacuation plans that include the location and number of resident rooms. [Minn. Stat. 144G.45 subd.2]

Comments: The surveyor observed the evacuation plans lacked accurate layout of the facility. Exit plan diagrams must be accurate and labeled to reduce confusion for emergency responders, residents, staff and visitors for egress in a fire or similar emergency.

2. Each assisted living facility shall develop and maintain fire safety and evacuation plans that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP did not identify specific fire protection actions for residents. There was no section in the plan that addressed the responsibilities or basic evacuation procedures that residents should follow in case of a fire or similar emergency.