



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

June 2, 2026

Licensee
Motivate Home Services
6057 Sumter Place North
New Hope, MN 55428

RE: Project Number(s) SL34851016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on May 28, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:


<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Casey DeVries, Supervisor
State Evaluation Team
Email: Casey.DeVries@state.mn.us
Telephone: 651-201-5917 Fax: 1-866-890-9290

KKM

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34851	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/28/2026
NAME OF PROVIDER OR SUPPLIER MOTIVATE HOME SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 6057 SUMTER PLACE NORTH NEW HOPE, MN 55428			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL34851016-0 On April 27, 2026, through April 28, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were three residents; three receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34851	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/28/2026
NAME OF PROVIDER OR SUPPLIER MOTIVATE HOME SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 6057 SUMTER PLACE NORTH NEW HOPE, MN 55428			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34851	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/28/2026
NAME OF PROVIDER OR SUPPLIER MOTIVATE HOME SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 6057 SUMTER PLACE NORTH NEW HOPE, MN 55428			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated May 27, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34851	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/28/2026
NAME OF PROVIDER OR SUPPLIER MOTIVATE HOME SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 6057 SUMTER PLACE NORTH NEW HOPE, MN 55428			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
	TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.				
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to have a written emergency preparedness plan (EPP) with all the required content as defined in Appendix Z. This had the potential to affect all residents.	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34851	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/28/2026
NAME OF PROVIDER OR SUPPLIER MOTIVATE HOME SERVICES			STREET ADDRESS, CITY, STATE, ZIP CODE 6057 SUMTER PLACE NORTH NEW HOPE, MN 55428		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 4 This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: On May 27, 2026, at 12:30 p.m., the surveyor reviewed the licensee's EPP dated July 5, 2025, and the following content was missing: - subsistence needs for staff and patients. On May 27, 2026, at 2:45 p.m., clinical nurse supervisor (CNS)-A stated they thought their updated EPP included all the required content. CNS-A also stated the missing content slipped past them during EPP annual review meeting. The licensee's undated Emergency Preparedness Plan - Appendix Z Compliance policy indicated it is the intent that [licensee] has in place an effective and compliant Emergency Preparedness Plan. The plan will be aligned with the Centers for Medicare and Medicaid Services State Operation Manual Appendix Z: "State Operations Manual Appendix Z - Emergency Preparedness for All Provides and Certified Supplier Types: Interpretive Guidance." Minnesota Administrative Rule 4659.0100 Emergency Disaster and Preparedness Plan dated August 11, 2021, indicated assisted living facilities shall comply with the federal emergency preparedness regulations for long-term care	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34851	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/28/2026
NAME OF PROVIDER OR SUPPLIER MOTIVATE HOME SERVICES			STREET ADDRESS, CITY, STATE, ZIP CODE 6057 SUMTER PLACE NORTH NEW HOPE, MN 55428		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 680	Continued From page 5 facilities under Code of Federal Regulations, title 42, section 483.73, or successor requirements. The code references documents, specifications, methods, and standards in the State Operations Manual Appendix Z - Emergency Preparedness for All Provider and Certified Supplier Types. No additional information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 680			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

MOTIVATE HOME SERVICES
6057 SUMTER PLACE NORTH
New Hope, MN 55428
Hennepin County
Parcel:

Phone:

License Info

License: HFID 34851

Risk:
License:
Expires on:
CFPM:
CFPM #: ; Exp:

Inspection Info

Report Number: F1047261136
Inspection Type: Full - Single
Date: 5/27/2026 Time: 1:00 pm
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 1
Total Priority 3 Orders: 1
Delivery:

New Order: 4-600 Cleaning Equipment and Utensils

4-601.11C *Priority Level: Priority 3 CFP#: 49*

MN Rule 4626.0840C Clean non-food contact surfaces of equipment and maintain free of accumulations of dust, dirt, food residue, and other debris.

COMMENT: BUILD UP OF GREASE OBSERVED ON VENTILATION HOOD ABOVE THE OVEN. DISCUSSED NEED TO CLEAN DURING NEXT CLEANING SHIFT.

Comply By: 5/27/2026 Originally Issued On: 5/27/2026

New Order: 6-300 Physical Facility Numbers and Capacities

6-301.11 *Priority Level: Priority 2 CFP#: 10*

MN Rule 4626.1440 Provide an adequate supply of hand soap at each handwashing sink or group of 2 adjacent handwashing sinks.

COMMENT: HAND SOAP DISPENSER EMPTY. CORRECTED ON SITE- HAND SOAP WAS REFILLED AT KITCHEN HANDWASHING SINK.

Comply By: 5/27/2026 Originally Issued On: 5/27/2026

Food & Beverage General Comment

The inspection was completed with the operator and reviewed with MDH Nurse Evaluator B. Nyangena.

The establishment has a residential kitchen and serves food that is prepared that day. The kitchen has wood cabinets, laminate floor, painted walls, solid counter top, and a painted and textured ceiling.

A two basin sink is located in the kitchen. One sink basin is designated for hand washing. A residential dish machine is located in the kitchen.

Discussed hand washing, ware washing, staff illness policy, temperature control, final cook temperatures, cleaning, serving highly susceptible populations, and food handling procedures.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1047261136 from 5/27/2026

Holly Sievers

Rachel Ejimadu
Operator

Holly Sievers,
Public Health Sanitarian 3
651-201-5946
holly.sievers@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info

MOTIVATE HOME SERVICES
New Hope
County/Group: Hennepin County

Inspection Info

Report Number: F1047261136
Inspection Type: Full
Date: 5/27/2026
Time: 1:00 pm

Food Temperature: **Product/Item/Unit:** Butter; **Temperature Process:** Cold-Holding

Location: Refrigerator at 41 Degrees F.

Comment:

Violation Issued?: No

Food Temperature: **Product/Item/Unit:** Cheese slices; **Temperature Process:** Cold-Holding

Location: Refrigerator at 40 Degrees F.

Comment:

Violation Issued?: No



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Page: 1

Establishment Info

MOTIVATE HOME SERVICES
New Hope
County/Group: Hennepin County

Inspection Info

Report Number: F1047261136
Inspection Type: Full
Date: 5/27/2026
Time: 1:00 pm

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** Dish Machine

Location: Kitchen **Equal To** 178 Degrees F.

Comment:

Violation Issued?: No

Sanitizing Chemical: Product: Quaternary Ammonia; **Sanitizing Process:** Wiping Cloth Bucket

Location: Kitchen **Equal To** 400 PPM

Comment:

Violation Issued?: No