



Protecting, Maintaining and Improving the Health of All Minnesotans

February 8, 2023

Licensee
Bimsol Homecare, LLC
2551 115th Avenue Northwest
Coon Rapids, MN 55433

RE: Project Number(s) SL38266015

Dear Licensee:

On January 5, 2023, the Minnesota Department of Health completed a follow-up evaluation of your facility to determine if orders from the October 27, 2022, evaluation were corrected. This follow-up evaluation verified that the facility is in substantial compliance.

It is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body. You are encouraged to retain this document for your records.

Please feel free to call me with any questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Rhylee Gilb', with a stylized flourish at the end.

Rhylee Gilb, Supervisor
State Rapid Response Team
85 East Seventh Place, Suite 220
P.O. Box 64970
St. Paul, MN 55164-0970
Telephone: 218-232-8285 Fax: 651-281-9796

PMB



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

November 29, 2022

Administrator
Bimsol Homecare LLC
2551 115th Avenue Northwest
Coon Rapids, MN 55433

RE: Project Number(s) SL38266015

Dear Administrator:

This is your **official notice** that you have been **granted your assisted living facility license**. Your license effective and expiration dates remain the same as on your provisional license. Your updated status will be listed on the license certificate at renewal and **this letter serves as proof** in the meantime. If you have not received a letter from us with information regarding renewing your license within 60 days prior to your expiration date, please contact us at (651) 201-5273 or by email at Health.assistedliving@state.mn.us.

The Minnesota Department of Health completed an initial evaluation on October 27, 2022, for the purpose assessing compliance with state licensing statutes. At the time of the evaluation, the Minnesota Department of Health noted violations of the laws pursuant to Minnesota Statute, Chapter 144G.

The enclosed State Form documents the state licensing orders. The Department of Health documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Home Care Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement.

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20 for widespread violations;

Level 3: a fine of \$3,000 per violation per incident, in addition to any enforcement mechanism authorized in § 144G.20.

Level 4: a fine of \$5,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20.

In accordance with Minn. Stat. § 144G.20, Subd. 4(a)(5), the Department of Health imposes fine amounts of either \$1,000 or \$5,000 to licensees who are found to be responsible for maltreatment. The Department of Health imposes a fine of \$1,000 for each substantiated maltreatment violation that consists of abuse, neglect, or financial exploitation according to Minn. Stat. § 626.5572. Subds. 2, 9, 17. The Department of Health also may impose a fine of \$5,000 for each substantiated maltreatment violation consisting of sexual assault, death, or abuse resulting in serious injury.

In accordance with Minn. Stat. § 144G.31, Subd. 4(a)(5)(b), when a fine is assessed against a facility for substantiated maltreatment, the commissioner shall not also impose an immediate fine under this chapter for the same circumstance.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this evaluation:

St - 0 - 1600 - 144g.70 Subdivision 1 - Acceptance Of Residents - \$3,000.00

The total amount you are assessed is \$3,000.00. You will be invoiced after 15 days of the receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

Per Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document any action taken to comply with the correction order by the correction order date. A copy of the provider's records documenting those actions may be requested for follow-up evaluations. The licensee is not required to submit a plan of correction for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's residents/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by the Department of Health within 15 calendar days of the correction order receipt date.

A state licensing order under Minn. Stat. § 144G.91 Subd. 8), Free from Maltreatment is associated with a maltreatment determination by the Office of Health Facility Complaints. If maltreatment is substantiated, you will receive a separate letter with the reconsideration process under Minn. Stat. § 626.557. Please email general reconsideration requests to: **Health.HRD.Appeals@state.mn.us**.

Please address your cover letter for general reconsideration requests to:

Reconsideration Unit
Health Regulation Division
Minnesota Department of Health
P.O. Box 64970
85 East Seventh Place
St. Paul, MN 55164-0970

Free from Maltreatment reconsideration requests should be addressed to:

Reconsideration Unit
Health Regulation Division
Minnesota Department of Health
P.O. Box 64970
85 East Seventh Place
St. Paul, MN 55164-0970

REQUESTING A HEARING


Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. Requests for hearing may be emailed to

Health.HRD.Appeals@state.mn.us.

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration or a hearing, but not both.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in this letter and the results of this visit with the President of your organization's Governing Body. If you have any questions, please contact me.

Sincerely,



Rhylee Gilb, Supervisor
Health Regulation Division
State Rapid Response Team
85 East Seventh Place, Suite 220
P.O. Box 64970
St. Paul, MN 55164-0970
Email: rhylee.gilb@state.mn.us
Phone: 651-201-5977 Fax: 651-215-6894

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments Initial comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL38266015 *****Revised***** On October 26, 2022 and October 27, 2022 the Minnesota Department of Health conducted a survey at the above provider, and the following non-immediate correction order are issued. At the time of the survey, there were three residents receiving services under the provider's Provisional Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. The letter in the left column is used for tracking purposes and reflects the scope and level issued pursuant to 144G.31 subd. 1, 2, and 3.	
0 480 SS=F	144G.41 Subd 1 (13) (i) (B) Minimum requirements	0 480		

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 1 (13) offer to provide or make available at least the following services to residents: (i) at least three nutritious meals daily with snacks available seven days per week, according to the recommended dietary allowances in the United States Department of Agriculture (USDA) guidelines, including seasonal fresh fruit and fresh vegetables. The following apply: (B) food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626; and This MN Requirement is not met as evidenced by: Based on observation, interview and record review, the licensee failed to adhere to the Minnesota Food Code, Minnesota Rules, chapter 4626. This had the potential to affect all three residents of the facility. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: Please refer to the additional documentation included in the "Food and Beverage	0 480		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 2 Establishment Inspection Reports," dated October 26, 2022. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 480		
0 580 SS=F	144G.42 Subd. 2 Quality management The facility shall engage in quality management appropriate to the size of the facility and relevant to the type of services provided. "Quality management activity" means evaluating the quality of care by periodically reviewing resident services, complaints made, and other issues that have occurred and determining whether changes in services, staffing, or other procedures need to be made in order to ensure safe and competent services to residents. Documentation about quality management activity must be available for two years. Information about quality management must be available to the commissioner at the time of the survey, investigation, or renewal. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to engage in and maintain documentation of ongoing quality management activities relevant to the size and services provided by the assisted living provider. This had the potential to affect all three residents receiving assisted living services. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems	0 580		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 580	Continued From page 3 are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: During the entrance interview on October 26, 2022, at 10:15 a.m. interview, registered nurse (RN)-A, who was also the owner, stated a quality management plan had not been developed and the licensee has not held meetings to discuss quality management activities. The licensee's undated Quality Management Program policy, indicated the licensee will develop and continuous quality management program to identify, support and maintain the facility's quality improvement efforts and provide quality services to the residents. The policy indicated the record will be retained for at least two years. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 580			
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms;	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 4 (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to maintain and interconnect smoke alarms throughout the facility. This deficient condition had the ability to affect all staff and residents. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). Findings include: During the facility tour on October 26, 2022, between 11:00 a.m. and 12:00 p.m. with the registered nurse (RN)-A, it was observed that wireless interconnected smoke alarm did not work when tested. During the facility tour on October 26, 2022,	0 780		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 5 between 11:00 a.m. and 12:00 p.m. with the RN-A, it was observed that battery operated smoke detector in the furnance room was out of date according to the manufactured date of August 2009. The RN-A verbally confirmed survey staff observations during the facility tour. TIME PERIOD FOR CORRECTION: Twenty-One (21) days.	0 780		
0 800 SS=F	144G.45 Subd. 2 (a) (4) Fire protection and physical environment (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to provide the physical environment in a continuous state of good repair and operation with regard to the health, safety, and well-being of the residents. This had the potential to directly affect all residents and staff. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all	0 800		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 800	Continued From page 6 of the residents). The findings include: On October 26, 2022, between 11:00 a.m. and 12:00 p.m., survey staff toured the registered nurse (RN)-A. During the facility tour, survey staff observed the following: 1. There is a an outlet cover missing in room 2 by the bed. RN-A verbally confirmed survey staff observations during the facility tour. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 800		
0 810 SS=F	144G.45 Subd. 2 (b)-(f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) employee actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Employees of assisted living facilities shall receive training on the fire safety and evacuation	0 810		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 7 plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for employees twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to develop a fire safety and evacuation plan with required elements, failed to provide required employee and resident training on fire safety and evacuation, and failed to conduct required evacuation drills. This had the potential to affect all staff, residents, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On October 26, 2022 between 11:00 a.m. and	0 810		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 8 12:00 p.m., survey staff toured the facility with the registered nurse (RN)-A. During the facility tour, it was observed that fire safety and evacuation plans were not provided in the facility. Documents were reviewed by survey staff on October 26, 2022 between 11:00 a.m. and 12:00 p.m., 1. The off-site evacuation location was said to be an off-site home that they have an agreement with. The agreement was not observed during record review. 2. The licensee failed to provide unique or unusual resident needs for movement or evacuation. 3. The licensee failed to provide the required employee training frequency. 4. The licensee failed to provide annual fire safety and evacuation training for residents. 5. Training documentation was requested by survey staff but not provided. RN-A verbally confirmed survey staff observations during the facility tour. No additional information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 810		
01470 SS=F	144G.63 Subd. 2 Content of required orientation (a) The orientation must contain the following topics: (1) an overview of this chapter; (2) an introduction and review of the facility's policies and procedures related to the provision of assisted living services by the individual staff	01470		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01470	Continued From page 9 person; (3) handling of emergencies and use of emergency services; (4) compliance with and reporting of the maltreatment of vulnerable adults under section 626.557 to the Minnesota Adult Abuse Reporting Center (MAARC); (5) the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; (6) the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person; (7) handling of residents' complaints, reporting of complaints, and where to report complaints, including information on the Office of Health Facility Complaints; (8) consumer advocacy services of the Office of Ombudsman for Long-Term Care, Office of Ombudsman for Mental Health and Developmental Disabilities, Managed Care Ombudsman at the Department of Human Services, county-managed care advocates, or other relevant advocacy services; and (9) a review of the types of assisted living services the employee will be providing and the facility's category of licensure. (b) In addition to the topics in paragraph (a), orientation may also contain training on providing services to residents with hearing loss. Any training on hearing loss provided under this subdivision must be high quality and research based, may include online training, and must include training on one or more of the following topics: (1) an explanation of age-related hearing loss and how it manifests itself, its prevalence, and the challenges it poses to communication; (2) health impacts related to untreated	01470		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01470	Continued From page 10 age-related hearing loss, such as increased incidence of dementia, falls, hospitalizations, isolation, and depression; or (3) information about strategies and technology that may enhance communication and involvement, including communication strategies, assistive listening devices, hearing aids, visual and tactile alerting devices, communication access in real time, and closed captions. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure employees received orientation to include all required content for two of two employees, registered nurse (RN)-A and unlicensed personnel (ULP)-B with records reviewed. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: RN-A had a start date of May 2, 2022. RN-A's employee record lacked documentation of required training. RN-A record lacked documentation the following orientation topics were completed: -Review of the principles of person-centered planning and service delivery and how they apply	01470		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01470	Continued From page 11 to direct support services provided by the staff person. ULP-B had a hire date of April 15, 2022. ULP-B's employee record lacked documentation of required training. The employee record lacked documentation the following orientation topics were completed: -Review of the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person. On October 26, 2022, at 12:15 p.m., RN-A confirmed she and ULP-B had not yet completed the above listed required orientation topics. The licensee's undated Qualifications, training and Competency policy indicated the facility shall provide training to all staff providing and supervising assisted living services at the time of hire, and as needed to meet state guidelines and quality standards. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01470		
01530 SS=F	144G.64 TRAINING IN DEMENTIA CARE REQUIRED (a) All assisted living facilities must meet the following training requirements: (1) supervisors of direct-care staff must have at least eight hours of initial training on topics specified under paragraph (b) within 120 working hours of the employment start date, and must	01530		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01530	Continued From page 12 have at least two hours of training on topics related to dementia care for each 12 months of employment thereafter; (2) direct-care employees must have completed at least eight hours of initial training on topics specified under paragraph (b) within 160 working hours of the employment start date. Until this initial training is complete, an employee must not provide direct care unless there is another employee on site who has completed the initial eight hours of training on topics related to dementia care and who can act as a resource and assist if issues arise. A trainer of the requirements under paragraph (b) or a supervisor meeting the requirements in clause (1) must be available for consultation with the new employee until the training requirement is complete. Direct-care employees must have at least two hours of training on topics related to dementia for each 12 months of employment thereafter; This MN Requirement is not met as evidenced by: Based on interview and record review the licensee failed to provide evidence of dementia care training on required topics for two of two employees registered nurse (RN)-A and unlicensed personnel (ULP)-B, with records reviewed. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents).	01530		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01530	Continued From page 13 The findings include: RN-A's hire date was May 2, 2022. RN-A's record lacked documentation of the required eight (8) hours of dementia training within 120 working hours of the employment start date. RN-A training record indicated RN-A had completed 3.75 hours of dementia care training since hire. ULP-B's hire date was April 15, 2022. ULP-B's record lacked documentation of the required eight (8) hours of dementia training within 160 working hours of the employment start date. ULP-B's training record indicated ULP-B had completed 4.5 hours of dementia care training since hire. On October 26, 2022, at approximately 12:15 p.m., RN-A stated she did not complete eight (8) hours of dementia training and verified she completed 3.75 hours since her hire date. RN-A stated she worked 8:00 a.m. to 3:00 p.m. Monday through Friday every week and provided direct care to the residents. RN-A verified ULP-B had completed 4.5 hours of dementia care training since her start date. RN-A stated she was unaware employees needed to complete eight hours of dementia care training within 160 working hours and she was unaware she needed to complete eight hours of dementia care training within 120 working hours. The licensee's undated Dementia Care Training policy indicated supervisors must complete at least eight hours of initial training within 120 working hours of employment start date and direct care employees must complete at least	01530		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01530	Continued From page 14 eight hours of initial training within 160 hours of employment. TIME PERIOD FOR CORRECTION: Fourteen (14) days	01530		
01600 SS=I	144G.70 Subdivision 1 Acceptance of residents An assisted living facility may not accept a person as a resident unless the facility has staff, sufficient in qualifications, competency, and numbers, to adequately provide the services agreed to in the assisted living contract. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee lacked enough employees to adequately provide services requiring two staff members for transfers for two of two residents (R1, R2) reviewed. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, not including serious injury, impairment, or death, or a violation that has the potential to lead to serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). Findings include: R1 admitted to the licensee April 29, 2022. R1's diagnoses included cerebral palsy. R1's service plan dated April 30, 2022, indicated R1 received services including assistance with laundry, housekeeping, medication management,	01600		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01600	Continued From page 15 dressing, bathing, and two-person assistance with transfers. This plan indicated two staff members would transfer R1 from bed to the chair daily. R2 admitted to the licensee May 1, 2022. R2's diagnoses included spinal cord injury, chronic pain. R2's service plan dated May 2, 2022, indicated R2 received assistance with dressing, grooming, bed mobility, housekeeping, and two staff assistance with transfers from bed to chair. During an interview on October 26, 2022, 9:30 a.m., registered nurse (RN)-A whom was also the owner, stated the facility is short staffed. RN-A stated she works Monday through Friday 8:00 a.m. to 4:00 p.m., and the rest of the day/night one staff is scheduled to work. RN-A said one staff worked the night shift, last night. The licensee's undated staff schedule indicated one staff is scheduled to work 7:00 p.m. to 7:00 a.m. every day during the two-week posted schedule. During an interview on October 26, 2022, at 1:30 p.m., RN-A stated both R1 and R2 required a full body lift (total body mechanical lift, safely operated with two persons). RN-A verified the schedule is incorrect as it indicated she worked 7 a.m. to 7 p.m. RN-A stated she leaves at 4 p.m. and does not work weekends. RN-A stated the posted schedule is old and needs to be updated. RN-A stated R1, and R2 refuse to get out of bed. RN-A stated R1 and R2 only get out of bed for appointments. TIME PERIOD FOR CORRECTION: Immediate Immediacy is removed as of October 27, 2022.	01600		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38266	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/27/2022
NAME OF PROVIDER OR SUPPLIER BIMSOL HOMECARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2551 115TH AVENUE NW COON RAPIDS, MN 55433			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01600	Continued From page 16 Licensee provided documentation of immediate correction and a temporary solutions of having two staff working per shift, however tag 1600 remains issued due to needing a sustainable staffing plan.	01600			

Type: Full
Date: 10/24/22
Time: 13:27:59
Report: 7994221183

Food and Beverage Establishment Inspection Report

Page 1

Location:

BIMSOL HOMECARE LLC
2551 115th Avenue NW
Coon Rapids, MN55433
Anoka County, 02

Establishment Info:

ID #: 0040906
Risk:
Announced Inspection: No

License Categories:

Expires on: 12/31/22

Operator:

Phone #:
ID #:

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders were issued during this inspection.

4-300 Equipment Numbers and Capacities

4-302.13B ** Priority 2 **

MN Rule 4626.0710B Provide a readily accessible, irreversible registering temperature indicator for measuring the utensil surface temperature in mechanical hot water warewashing operations.

NO APPROVED DEVICE WAS ON SITE TO MEASURE INTERNAL DISHWASHER TEMPERATURES.

Comply By: 10/25/22

6-300 Physical Facility Numbers and Capacities

6-301.11 ** Priority 2 **

MN Rule 4626.1440 Provide an adequate supply of hand soap at each handwashing sink or group of 2 adjacent handwashing sinks.

HANDWASHING SINK DID NOT HAVE SOAP STOCKED IN AN EASILY USABLE DISPENSER

Comply By: 10/24/22

Total Orders	In This Report	Priority 1	Priority 2	Priority 3
		0	2	0

Type: Full
Date: 10/24/22
Time: 13:27:59
Report: 7994221183
BIMSOL HOMECARE LLC

Food and Beverage Establishment Inspection Report

Page 2

NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Minnesota Department of Health inspection report number 7994221183 of 10/24/22.

Certified Food Protection Manager: _____

Certification Number: _____ Expires: ____ / ____ / ____

Signed: _____
Establishment Representative

Signed:  _____
Crystal Elva
Public Health Sanitarian 3
St Paul
651-201-3981
Crystal.Elva@state.mn.us

Report #: 7994221183

Food Establishment Inspection Report



Minnesota Department of Health

625 Robert Street North
St Paul

No. of RF/PHI Categories Out

1

Date 10/24/22

No. of Repeat RF/PHI Categories Out

0

Time In 13:27:59

Legal Authority MN Rules Chapter 4626

Time Out

BIMSOL HOMECARE LLC

Address

2551 115th Avenue NW

City/State

Coon Rapids, MN

Zip Code

55433

Telephone

License/Permit #
0040906

Permit Holder

Purpose of Inspection
Full

Est Type

Risk Category

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Circle designated compliance status (IN, OUT, N/O, N/A) for each numbered item

Mark "X" in appropriate box for COS and/or R

IN= in compliance

OUT= not in compliance

N/O= not observed

N/A= not applicable

COS= corrected on-site during inspection

R= repeat violation

Compliance Status		COS	R
Supervision			
1	IN OUT		
PIC knowledgeable; duties & oversight			
2	IN OUT N/A		
Certified food protection manager, duties			
Employee Health			
3	IN OUT		
Mgmt/Staff; knowledge, responsibilities & reporting			
4	IN OUT		
Proper use of reporting, restriction & exclusion			
5	IN OUT		
Procedures for responding to vomiting & diarrheal events			
Good Hygienic Practices			
6	IN OUT N/O		
Proper eating, tasting, drinking, or tobacco use			
7	IN OUT N/O		
No discharge from eyes, nose, & mouth			
Preventing Contamination by Hands			
8	IN OUT N/O		
Hands clean & properly washed			
9	IN OUT N/A N/O		
No bare hand contact with RTE foods or pre-approved alternate procedure properly followed			
10	IN OUT		
Adequate handwashing sinks supplied/accessible			
Approved Source			
11	IN OUT		
Food obtained from approved source			
12	IN OUT N/A N/O		
Food received at proper temperature			
13	IN OUT		
Food in good condition, safe, & unadulterated			
14	IN OUT N/A N/O		
Required records available; shellstock tags, parasite destruction			
Protection from Contamination			
15	IN OUT N/A N/O		
Food separated and protected			
16	IN OUT N/A		
Food contact surfaces: cleaned & sanitized			
17	IN OUT		
Proper disposition of returned, previously served, reconditioned, & unsafe food			

Compliance Status		COS	R
Time/Temperature Control for Safety			
18	IN OUT N/A N/O		
Proper cooking time & temperature			
19	IN OUT N/A N/O		
Proper reheating procedures for hot holding			
20	IN OUT N/A N/O		
Proper cooling time & temperature			
21	IN OUT N/A N/O		
Proper hot holding temperatures			
22	IN OUT N/A		
Proper cold holding temperatures			
23	IN OUT N/A N/O		
Proper date marking & disposition			
24	IN OUT N/A N/O		
Time as a public health control: procedures & records			
Consumer Advisory			
25	IN OUT N/A		
Consumer advisory provided for raw/undercooked food			
Highly Susceptible Populations			
26	IN OUT N/A		
Pasteurized foods used; prohibited foods not offered			
Food and Color Additives and Toxic Substances			
27	IN OUT N/A		
Food additives: approved & properly used			
28	IN OUT		
Toxic substances properly identified, stored, & used			
Conformance with Approved Procedures			
29	IN OUT N/A		
Compliance with variance/specialized process/HACCP			

Risk factors (RF) are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. **Public Health Interventions (PHI)** are control measures to prevent foodborne illness or injury.

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Mark "X" in box if numbered item is **not** in compliance

Mark "X" in appropriate box for COS and/or R

COS= corrected on-site during inspection

R= repeat violation

Compliance Status		COS	R
Safe Food and Water			
30	IN OUT N/A		
Pasteurized eggs used where required			
31			
Water & ice obtained from an approved source			
32	IN OUT N/A		
Variance obtained for specialized processing methods			
Food Temperature Control			
33			
Proper cooling methods used; adequate equipment for temperature control			
34	IN OUT N/A N/O		
Plant food properly cooked for hot holding			
35	IN OUT N/A N/O		
Approved thawing methods used			
36			
Thermometers provided & accurate			
Food Identification			
37			
Food properly labeled; original container			
Prevention of Food Contamination			
38			
Insects, rodents, & animals not present			
39			
Contamination prevented during food prep, storage & display			
40			
Personal cleanliness			
41			
Wiping cloths: properly used & stored			
42			
Washing fruits & vegetables			

Compliance Status		COS	R
Proper Use of Utensils			
43			
In-use utensils: properly stored			
44			
Utensils, equipment & linens: properly stored, dried, & handled			
45			
Single-use/single service articles: properly stored & used			
46			
Gloves used properly			
Utensil Equipment and Vending			
47			
Food & non-food contact surfaces cleanable, properly designed, constructed, & used			
48	X		
Warewashing facilities: installed, maintained, & used; test strips			
49			
Non-food contact surfaces clean			
Physical Facilities			
50			
Hot & cold water available; adequate pressure			
51			
Plumbing installed; proper backflow devices			
52			
Sewage & waste water properly disposed			
53			
Toilet facilities: properly constructed, supplied, & cleaned			
54			
Garbage & refuse properly disposed; facilities maintained			
55			
Physical facilities installed, maintained, & clean			
56			
Adequate ventilation & lighting; designated areas used			
57			
Compliance with MCIAA			
58			
Compliance with licensing & plan review			

Food Recalls:

Person in Charge (Signature)

Date: 11/09/22

Inspector (Signature)