

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 54BM	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 10/31/2023
NAME OF PROVIDER OR SUPPLIER DIVERSICARE OF BATESVILLE		STREET ADDRESS, CITY, STATE, ZIP CODE 154 WOODLAND ROAD BATESVILLE, MS 38606		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted a Complaint Investigation (CI MS #23069) at the facility on 10/30/23-10/31/23. During the survey, the SA determined the facility was in compliance with the Minimum Standards of Operations for the Institutions of Aged or Infirm. The SA investigated neglect/pressure sores and quality of care/tx/resident safety/falls with no deficiencies cited. The facility held a license for 130 beds, with a census of 102.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

11/14/23