

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 24KI	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 05/08/2024
NAME OF PROVIDER OR SUPPLIER THE PILLARS OF BILOXI		STREET ADDRESS, CITY, STATE, ZIP CODE 2279 ATKINSON ROAD BILOXI, MS 39531		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted a Complaint Investigation (CI), MS #24948, at the facility on 5/8/24. MS #24948 was investigated for quality of care related to a feeding tube. During the survey, the SA determined the facility was in compliance with the Minimum Standards for Institutions for the Aged or Infirm, state licensure requirement. There were no deficiencies cited. However, the facility remains out of compliance due to deficiencies on the 4/4/2024 survey.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

05/09/24