MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	17SH	A. BUILDING: _____ B. WING _____	C 05/08/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVERSICARE OF SOUTHAVEN	1730 DORCHESTER DR SOUTHAVEN, MS 38671

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted Complaint Investigations (CI) MS #24852 and CI MS #25031 at the facility on 5/8/24. During the survey, the SA determined that the facility was in compliance with the Minimum Standards for Institutions for Aged or Infirm, state licensure requirements. There were no deficiencies cited for CI MS #24852 or CI MS #25031.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Electronically Signed | 05/21/24