

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 43BM	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 04/02/2021
NAME OF PROVIDER OR SUPPLIER DIVERSICARE OF BROOKHAVEN		STREET ADDRESS, CITY, STATE, ZIP CODE 519 BROOKMAN DRIVE BROOKHAVEN, MS 39601		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) determined during a staggered COVID survey and two (2) complaint investigations (CI MS #16635, CI MS #16949) conducted from 04/01/2021 to 04/02/2021. The SA determined the facility was in compliance with the Minimum Standards of Operation for Institutions for the Aged or Infirm, state licensure requirements. CI MS #16635 The result of the investigation was unsubstantiated with no deficiencies cited for Physical Environment related to Infection Control Practices Not Followed. The SA determined the facility was in compliance with the Minimum Standards of Operation for Institutions for the Aged or Infirm, state licensure requirements. CI MS #16949 The result of the investigation was unsubstantiated with no deficiencies cited for Resident Neglect. The SA determined the facility was in compliance with the Minimum Standards of Operation for Institutions for the Aged or Infirm, state licensure requirements.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE