

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 17SH	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 02/24/2021
NAME OF PROVIDER OR SUPPLIER DIVERSICARE OF SOUTHAVEN		STREET ADDRESS, CITY, STATE, ZIP CODE 1730 DORCHESTER DR SOUTHAVEN, MS 38671		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted complaint investigations (CI) MS #17256, CI MS #17196, CI MS #16871, and CI MS #17195 at the facility from 2/8/2021 to 2/24/2021. The SA determined the facility was in compliance with the Mississippi Regulations for the Minimum Standards for the Institutions for Aged or Infirm, CI MS #16871, #17195, #17196 were not substantiated for quality of care. CI MS #17256 was not substantiated for pressure areas. The facility had a census of 109 at the time of the survey and held a license for 140 beds.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

03/12/21