

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 70RM	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R-C 02/18/2025
NAME OF PROVIDER OR SUPPLIER DIVERSICARE OF RIPLEY		STREET ADDRESS, CITY, STATE, ZIP CODE 101 CUNNINGHAM DR RIPLEY, MS 38663		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{M 000}	Initial Comments The State Agency (SA) conducted a revisit survey at the facility on 2/18/25 related to a complaint survey at the facility on 1/21/25. During the survey, the SA determined that the facility was in compliance with the requirements of the Mississippi Regulations for Minimum Standards for Institutions for Aged or Infirm. The SA is recommending the facility be placed back in compliance effective 2/12/25. At the time of the survey the facility census was 115 with a bed capacity of 140 beds.	{M 000}		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

02/24/25