

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 255306		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 07/08/2025	
NAME OF PROVIDER OR SUPPLIER TREND HEALTH AND REHAB OF HOUSTON				STREET ADDRESS, CITY, STATE, ZIP CODE 1000 EAST MADISON STREET 125 FOUNTAINS BLVD MADISON, MS 39110-6344, HOUSTON, Mississippi, 38851			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F0000	INITIAL COMMENTS On 07/08/25 the State Agency (SA) conducted an onsite complaint investigation for CI MS #29519 regarding hydration and environment. The SA determined that the complaint was not substantiated and that the facility was in compliance with the Standards for Participation in Medicare and Medicaid and no deficiencies were cited. The facility was licensed for 60 beds, and the census was 49 at the time of the survey.			F0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------