

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 255160		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 08/04/2025	
NAME OF PROVIDER OR SUPPLIER DANIEL HEALTH CARE INC DBA THE MEADOWS				STREET ADDRESS, CITY, STATE, ZIP CODE 1905 SOUTH ADAMS STREET P O DRAWER 127, FULTON, Mississippi, 38843			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F0000	INITIAL COMMENTS On 08/04/25 the State Agency (SA) conducted a desk review of the information that was provided to our agency related to the annual survey that was completed on 05/29/25. The information provided by the facility confirmed the facility had put measures in place to correct the deficient practice and sustain compliance with Medicare and Medicaid requirements of participation. The SA is recommending that your facility be placed back in compliance effective 07/02/25.			F0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE	(X6) DATE
---	--	-------	-----------