

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 255304		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 12/10/2025	
NAME OF PROVIDER OR SUPPLIER THE NICHOLS CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE 1308 HIGHWAY 51 NORTH P O DRAWER 720, MADISON, Mississippi, 39110			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F0000	INITIAL COMMENTS The State Agency (SA) conducted a follow-up revisit at the facility on 12/10/25 related to a complaint survey that was conducted from 10/22/25. The SA determined that the corrective measures taken by the facility corrected the deficiencies cited on the 10/22/25 survey as of 11/08/25. However, the facility remained out of compliance with the requirement of participation in Medicare and Medicaid until 12/06/25, the compliance date for the 11/25/25 survey. The facility held a license of 54 beds and the census at the time of the survey was 60.			F0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------