

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 16CO	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/29/2020
NAME OF PROVIDER OR SUPPLIER MS STATE VETERANS HOME-COLLINS		STREET ADDRESS, CITY, STATE, ZIP CODE 3261 HIGHWAY 49 SOUTH COLLINS, MS 39428		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments A Covid-19 Focused Infection Control Survey was conducted by the State Agency (SA) on 6/29/2020. The facility was found to be in compliance with infection control regulations and has implemented the recommended practices to prepare for COVID-19. The census at the time of the survey was 139.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE