

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 24GC	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 11/02/2021
NAME OF PROVIDER OR SUPPLIER BOYINGTON HEALTH AND REHABILITATION		STREET ADDRESS, CITY, STATE, ZIP CODE 1530 BROAD AVE GULFPORT, MS 39501		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted two (2) Complaint Investigations (CI MS #18235 and CI MS #18229), from 10/29/21 through 11/2/21 and the SA did not substantiate the complaints. The facility was in compliance with the Minimum Standards of Operation for Institutions for the Aged or Infirm and state licensure requirements.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

11/09/21