

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 17SH	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 03/21/2022
NAME OF PROVIDER OR SUPPLIER DIVERSICARE OF SOUTHAVEN		STREET ADDRESS, CITY, STATE, ZIP CODE 1730 DORCHESTER DR SOUTHAVEN, MS 38671		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments A Complaint Investigation (CI) # 18558 was conducted by the State Agency (SA) on 3/21/22. CI #18558 was unsubstantiated with no deficiencies cited for allegations of abuse. The facility was found to be in compliance with the Mississippi Long Term Care regulations. The facility is licensed for 140 beds with a census of 125 at time of survey.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

04/06/22