

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/04/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 255148		(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - NEW MAIN BUILDING B. WING _____		(X3) DATE SURVEY COMPLETED R 09/12/2022	
NAME OF PROVIDER OR SUPPLIER WOODLANDS REHABILITATION AND HEALTHCARE CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE 102 WOODCHASE PARK DRIVE CLINTON, MS 39056			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{K 000}	INITIAL COMMENTS On 9/12/22 the State Agency (SA) conducted a LSC revisit survey to verify the information that was provided to our agency related to the annual survey that was conducted on 7/14/22. The information provided by the facility confirmed the facility had put measures in place to correct the deficient practice and sustain compliance with applicable provisions of the 2012 (existing) Edition of the Life Safety Code (LSC) of the National Fire Protection Association (NFPA). The SA is recommending that your facility be placed back in compliance effective 08/15/22.			{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

09/29/2022

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.