

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 45HH	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 01/17/2023
NAME OF PROVIDER OR SUPPLIER HIGHLAND HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 638 HIGHLAND COLONY PARKWAY RIDGELAND, MS 39157		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted a complaint survey, MS #20450, on 1/17/23. There were no deficiencies cited as a result of the complaint survey; however, the facility remains out of compliance with the Mississippi Regulations for Minimum Standards for Institutions for Aged or Infirm due to deficiencies cited on the 1/4/23 compliant survey. The facility is licensed for 120 beds and at the time of the survey the census was 106.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

01/30/23