

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 54BM	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 04/27/2023
NAME OF PROVIDER OR SUPPLIER DIVERSICARE OF BATESVILLE		STREET ADDRESS, CITY, STATE, ZIP CODE 154 WOODLAND ROAD BATESVILLE, MS 38606		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted a complaint survey, MS #21207 on 4/27/23. The SA did not substantiate complaint MS #21207 for physical environment and feeding assistance. During the survey the SA determined the facility was in compliance with the Mississippi Regulations for Minimum Standards for Institutions for Aged or Infirm with no deficiencies cited. The facility is licensed for 130 of beds and at the time of the survey the census was 106.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

05/12/23