

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 17SH	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 05/10/2023
NAME OF PROVIDER OR SUPPLIER DIVERSICARE OF SOUTHAVEN		STREET ADDRESS, CITY, STATE, ZIP CODE 1730 DORCHESTER DR SOUTHAVEN, MS 38671		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
M 000	Initial Comments The State Agency (SA) conducted a Complaint Investigation (CI MS #21424 and CI MS #20962) at the facility from 5/9/23 through 5/10/23. During the survey, the SA determined the facility was in compliance with the Mississippi Regulations for Minimum Standards for Institutions for Aged or Infirm. The SA investigated pressure sores, neglect and accidents, with no deficiencies cited. The facility held a license for 140 beds, with a census of 134.	M 000		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

05/30/23