

## Division of Health Service Regulation

PRINTED: 05/02/2018  
FORM APPROVED

|                                                  |                                                                        |                                                           |                                                 |
|--------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><b>HAL096029</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: 01<br>B. WING: | (X3) DATE SURVEY COMPLETED<br><b>04/25/2018</b> |
|--------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|

|                                                                   |                                                                                                                        |                                                                                           |                                                                                                                 |
|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| NAME OF PROVIDER OR SUPPLIER<br><b>SUTTON'S RETIREMENT CENTER</b> |                                                                                                                        | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>4258 HWY 13 NORTH<br/>GOLDSBORO, NC 27534</b> |                                                                                                                 |
| (X4) ID PREFIX TAG                                                | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG                                                                             | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) |

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |                                                                                                                                                                                         |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C 000 | Initial Comments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | C 000 |                                                                                                                                                                                         |
| C 111 | <p>Report of a Biennial Survey by Suzanna Fay conducted on April 25, 2018.</p> <p>Records indicate this facility was first licensed on October 1, 1971. The facility is currently licensed for 40 Beds after two additions. Therefore the facility was surveyed for conformance with the applicable portions of the 2005 Rules for Licensing of Adult Care Homes of Seven or More Beds and applicable portions of the 1967 Edition of the North Carolina Building Code(s).</p> <p>Institutional Occupancy and the 1971 Rules for Licensing of Adult Care Homes of Seven or More Beds in effect at the time of initial licensure.</p>                                   | C 111 |                                                                                                                                                                                         |
| C 152 | <p>SECTION .0300 - PHYSICAL PLANT<br/>10A NCAC 13F .0302 DESIGN AND CONSTRUCTION</p> <p>f) The facility shall have current sanitation and fire and building safety inspection reports which shall be maintained in the home and available for review.</p> <p>This Rule is not met as evidenced by:<br/>1. Observations revealed that the facility did not maintain current sanitation inspection reports in the home.</p> <p>Findings on April 25, 2018:<br/>a. The facility did not have a current building sanitation inspection report.</p> <p>C 152 Entrances-Steps, Porches with Handrails<br/>SECTION .0300 - PHYSICAL PLANT<br/>10A NCAC 13F .0305 PHYSICAL</p> | C 152 | <p>Contacted Jessica Carter (Wayne County Environmental Health) she will be here to do building inspection before the end of June. They are behind so that was first available time</p> |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

STATE FORM

6899

D2ZX21

If continuation sheet 1 of 5

5-16-18

Administrator

|                                                     |  |                                                                               |                                                                        |                                                    |
|-----------------------------------------------------|--|-------------------------------------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION |  | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>HA1096029</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: <b>01</b><br>B. WING: _____ | (X3) DATE SURVEY<br>COMPLETED<br><b>04/25/2018</b> |
|-----------------------------------------------------|--|-------------------------------------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------------|

|                                                                       |  |                                                                                           |  |  |
|-----------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------|--|--|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>SUTTON'S RETIREMENT CENTER</b> |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>4258 HWY 13 NORTH<br/>GOLDSBORO, NC 27534</b> |  |  |
|-----------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------|--|--|

|                          |                                                                                                                              |                     |                                                                                                                          |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|
| (X4) ID<br>PREFIX<br>TAG | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION) | ID<br>PREFIX<br>TAG | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |       |                                                                                                           |        |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------------------------------|--------|
| C 152 | Continued From page 1<br><br>ENVIRONMENT<br>(h) The requirements for outside entrances and exits are:<br>(2) All steps, porches, stoops and ramps shall be provided with handrails and guards;<br>This Rule is not met as evidenced by:<br>1. Observations revealed that not all outside entrance ramps were provided with handrails.<br>Findings on April 25, 2018:<br>a. The ramp at the vending area exit did not have handrails.                                                                                                                                                                                                                                                                                                                                                      | C 152 | Ramp outside vending machine will be replaced & have handrails on both sides.                             | 6/2/18 |
| C 160 | Outside Premises-Clean, Safe<br><br>SECTION .0300 - PHYSICAL PLANT<br>10A NCAC 13F .0305 PHYSICAL ENVIRONMENT<br>(m) The requirements for outside premises are:<br>(1) The outside grounds of new and existing facilities shall be maintained in a clean and safe condition;<br>This Rule is not met as evidenced by:<br>1. Observations revealed that the outside premises were not maintained in a safe condition.<br>Findings on April 25, 2018:<br>a. Exit from smoking porch - the plywood ramp is soft and giving and the veneer is broken and splintered along the bottom edge.<br>b. Exit at vending- there is a short, open-sided plywood ramp at the exit door at vending. The ramp is soft and giving and there are no handrails to prevent tripping or falling over the edge. | C 160 | Both ramps the one by smoke porch & vending machine ramp will be replaced. Materials have been purchased. | 6/2/18 |

|                                                  |                                                                     |                                                                 |                                              |
|--------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------|----------------------------------------------|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br>HAL096029 | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: 01<br>B. WING: _____ | (X3) DATE SURVEY COMPLETED<br><br>04/25/2018 |
|--------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------|----------------------------------------------|

|                              |                                          |
|------------------------------|------------------------------------------|
| NAME OF PROVIDER OR SUPPLIER | STREET ADDRESS, CITY, STATE, ZIP CODE    |
| SUTTON'S RETIREMENT CENTER   | 4258 HWY 13 NORTH<br>GOLDSBORO, NC 27534 |

|                    |                                                                                                                        |               |                                                                                                                 |                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------|--------------------|
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) DATE COMPLETE |
|--------------------|------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------|--------------------|

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       |                                               |                                                                                                                                                                                                                         |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C 164 | Continued From page 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | C 164 | C 164                                         | <p>Contractor came out today for estimate, will be back in next week or so to repair</p> <p>6/2/18</p>                                                                                                                  |
| C 164 | Housekeeping and Furnishings-Clean, Repaired                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | C 164 | C 164                                         |                                                                                                                                                                                                                         |
| C 164 | SECTION .0300 - PHYSICAL PLANT<br>10A NCAC 13F .0306 HOUSEKEEPING AND FURNISHINGS<br>(a) Adult care homes shall:<br>(1) have walls, ceilings, and floors or floor coverings kept clean and in good repair;<br>(2) have no chronic unpleasant odors;<br>(3) have furniture clean and in good repair;<br>(e) This Rule shall apply to new and existing facilities.<br>This Rule is not met as evidenced by:<br>1. Observations revealed that the walls and ceilings were not maintained in good repair.<br>Findings on April 25, 2018:<br>a. Activity closet - there was a large black mildew stain along the intersection of the right side wall and ceiling. The wall and ceiling around the mildew were stained brown. The sheetrock tape was pulling away from the wall at the stained area. Some patching had taken place at the ceiling but had not been painted.<br>b. Men's Wing, shower bath - the back wall of the shower room was damp to the touch possibly from a recent shower. A section of the wall finish was cracked and splitting open to the right of the window. | C 189 | Building Equipment Maintained Safe, Operating | SECTION .0300 - PHYSICAL PLANT<br>10A NCAC 13F .0311 OTHER REQUIREMENTS<br>(a) The building and all fire safety, electrical, mechanical, and plumbing equipment in an adult care home shall be maintained in a safe and |

|                                                     |  |                                                                        |                             |                                                 |
|-----------------------------------------------------|--|------------------------------------------------------------------------|-----------------------------|-------------------------------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION |  | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br>HAL096029 | A. BUILDING: 01<br>B. WING: | (X3) DATE SURVEY<br>COMPLETED<br><br>04/25/2018 |
|-----------------------------------------------------|--|------------------------------------------------------------------------|-----------------------------|-------------------------------------------------|

NAME OF PROVIDER OR SUPPLIER  
STREET ADDRESS, CITY, STATE, ZIP CODE

SUTTON'S RETIREMENT CENTER  
4258 HWY 13 NORTH  
GOLDSBORO, NC 27534

|                          |                                                                                                                              |                     |                                                                                                                          |                          |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------|
| (X4) ID<br>PREFIX<br>TAG | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION) | ID<br>PREFIX<br>TAG | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) | (X5)<br>COMPLETE<br>DATE |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------|

|       |                       |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                  |        |         |
|-------|-----------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------|---------|
| C 189 | Continued From page 3 | C 189 | <p>operating condition.<br/>(k) This Rule shall apply to new and existing facilities with the exception of Paragraph (e) which shall not apply to existing facilities.</p> <p>This Rule is not met as evidenced by:<br/>1. Observations revealed that the building plumbing equipment was not maintained in a safe and operating condition.</p> <p>Findings on April 25, 2018:<br/>a. Front hall tub bath - the plumbing line is leaking at the elbow. The pipe is wet to the touch and there are stains running down the wall. Black mildew is forming behind the pipe. The tile below the elbow is stained and very slick.</p> <p>2. Observations revealed that the mechanical equipment was not maintained in operating condition.</p> <p>Findings on April 25, 2018:<br/>a. Men's wing - the vents in both the tub and shower baths had heavy accumulations of dust.<br/>3. Based on observation there is a failure to maintain the building's fire safety components in a safe operating condition. Any unapproved device used to keep a door open is an impediment to quickly closing the door. The occupants in the facility could be effected if doors cannot be closed as required so as to limit the spread of smoke and/or fire to the area of origin.</p> <p>Findings on April 25, 2018:<br/>a. Men's wing living room - the corridor doors were blocked by a recliner. The chair was moved at the time of survey.<br/>b. Men's wing dining room - the corridor door</p> | <p>Tie has been cleared &amp; pipe fixed</p> <p>Both vents have been cleared</p> | 6/2/18 | 5/16/18 |
|-------|-----------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------|---------|

PRINTED: 05/02/2018  
FORM APPROVED