STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 000	Initial Comments Report by Gabriel Villacres DHSR Construction Section conducted a Biennial Survey on July 18, 2018 from 11:45 AM to 1:30 PM at the above referenced facility. DHSR records indicate the home was first licensed on September 21, 2006 as a Family Care Home for six (6) residents with up to three (3) being non-ambulatory (Un-able to respond and evacuate without any physical or verbal assistance during a fire or other emergency) . Based on this information we are requiring the home to maintain compliance with the following: the 2005 Licensure Rules 10A NCAC 13G for Family Care Homes, the applicable portions of the 2006 NC State Building Code-Section 421.3-Small Residential Care Facilities. At the time of our visit, we cited deficiencies that require an acceptable plan of correction. They are as follows:	C 000		
C 149	Outside Entrances/Exits-Handrails At Porches SECTION .0300 - THE BUILDING 10A NCAC 13G .0312 OUTSIDE ENTRANCE AND EXITS (f) All steps, porches, stoops and ramps shall be provided with handrails and guardrails. This Rule is not met as evidenced by: The rule requires that all steps, porches, stoops and ramps shall be provided with handrails and guardrails: At the time of the survey it was observed that the ramp leading from the carport to the kitchen entrance needed a second handrail to comply with the rule.	C 149		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 149	Continued From page 1 Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed.	C 149		
C 152	Floors 10A NCAC 13G .0314 FLOORS (a) All floors in a family care home shall be of smooth, non-skid material and so constructed as to be easily cleanable. (b) Scatter or throw rugs shall not be used. (c) All floors shall be kept in good repair. This Rule is not met as evidenced by: 1.) The rule states that scatter or throw rugs shall not be used: At the time of the survey it was observed that the home contained scatter/throw rugs in several of the of the residents bedrooms and the living room. Make arrangements to have the deficiecny corrected. Provide documentation in the form of photos for all work completed.	C 152		
C 153	Houskeeping And Furnishings-Clean, Repaired SECTION .0300 - THE BUILDING 10A NCAC 13G .0315 HOUSEKEEPING AND FURNISHINGS (a) Each family care home shall: (1) have walls, ceilings, and floors or floor coverings kept clean and in good repair; (2) have no chronic unpleasant odors; (3) have furniture clean and in good repair; (e) This Rule shall apply to new and existing homes.	C 153		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 153	Continued From page 2 This Rule is not met as evidenced by: (1) The rule requires taht each family care home shall have walls, ceilings, and floors or floor coverings kept clean and in good repair: At the time of the survey it was observed that the air return register needed a new filter. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (2) The rule requires taht each family care home shall have walls, ceilings, and floors or floor coverings kept clean and in good repair: At the time of the survey it was observed that bedroom #1 has a patch on the wall behind the door that needs to be repainted to match the surrounding wall color. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (3) The rule requires taht each family care home shall have walls, ceilings, and floors or floor coverings kept clean and in good repair: At the time of the survey it was observed that the staff's bedroom window was missing a screen Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (4) The rule requires taht each family care home shall have walls, ceilings, and floors or floor coverings kept clean and in good repair:	C 153		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 153	Continued From page 3 At the time of the survey it was observed that there was a hole in the wall next to the hot water heater that needed to be caulked to maintain the rating of the fire rated wall. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed.	C 153		
C 161	Housekeeping-Land Line Phone SECTION .0300 - THE BUILDING 10A NCAC 13G .0315 HOUSEKEEPING AND FURNISHINGS (a) Each family care home shall: (12) have at least one telephone that does not depend on electricity or cellular service to operate. (e) This Rule shall apply to new and existing homes. This Rule is not met as evidenced by: 1.) The rule requires that each family care home shall have at least one telephone that does not depend on electricity or cellular service to operate: At the time of the survey it was observed that there was no dedicated phone line in the home. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed.	C 161		
C 171	Fire Safety- Evacuation Plan SECTION .0300 - THE BUILDING 10A NCAC 13G .0316 FIRE SAFETY AND	C 171		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 171	Continued From page 4 DISASTER PLAN (d) A written fire evacuation plan (including a diagrammed drawing) which has the approval of the local code enforcement official shall be prepared in large print and posted in a central location on each floor. The plan shall be reviewed with each resident on admission and shall be a part of the orientation for all new staff. This Rule is not met as evidenced by: 1.) The rule requires that written fire evacuation plan (including a diagrammed drawing) which has the approval of the local code enforcement official shall be prepared in large print and posted in a central location on each floor: At the time of the survey it was observed that the evacuation plan in the home was not oriented correcly. The plan should reflect the observers orientation and position in the home in relation to the homes exits. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed.	C 171		
C 174	Building Equipment Maintained Safe, Operating SECTION .0300 - THE BUILDING 10A NCAC 13G .0317 BUILDING SERVICE EQUIPMENT (a) The building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and operating condition. (j) This Rule shall apply to new and existing family care homes. This Rule is not met as evidenced by:	C 174		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 174	Continued From page 5 (1) The rule requires that the building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and operating condition: At the time of the survey it was observed that the clothe dryer's flex duct was too long and caused it to kink up which may restrict air flow. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (2) The rule requires that the building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and operating condition: At the time of the survey it was observed that th bathroom at the end of the hall needed new light bulbs. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (3) The rule requires that the building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and operating condition: At the time of the survey it was observed that the bathroom at the end of the room was missing the towel bar hardware Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (4) The rule requires that the building and all fire	C 174		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 174	Continued From page 6 safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and operating condition: At the time of the survey it was observed that there was a broken light switch in bedroom #2 Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (5) The rule requires that the building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and operating condition: At the time of the survey it was observed that the staff bathroom was using an un-approved multi-outlet adapter. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (6) The rule requires that the building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and operating condition: At the time of the survey it was observed that the rangehood light in the kitchen was not functional. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed.	C 174		
C 183	Outside Premises-Clean, Safe SECTION .0300 - THE BUILDING	C 183		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 183	Continued From page 7 10A NCAC 13G .0318 OUTSIDE PREMISES (a) The outside grounds of new and existing family care homes shall be maintained in a clean and safe condition. This Rule is not met as evidenced by: (1) The rule requires that the outside grounds of new and existing family care homes shall be maintained in a clean and safe condition: At the time of the survey it was observed that the front porch rails were dirty and needed to be pressure washed. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (2) The rule requires that the outside grounds of new and existing family care homes shall be maintained in a clean and safe condition: At the time of the survey it was observed that the gutters around the home needed to be cleaned-out. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed. (3) The rule requires that the outside grounds of new and existing family care homes shall be maintained in a clean and safe condition: At the time of the survey it was observed that the dryer exhaust vent discharge needed to be cleaned out. Make arrangements to have the deficiency corrected. Provide documentation in the form of	C 183		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	FCL011225	A. BUILDING: **01** B. WING _____	**07/18/2018**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ALVERTA BOLICK HOME	**80 BAKER AVENUE ASHEVILLE, NC 28806**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 183	Continued From page 8 photos for all work completed. (4) The rule requires that the outside grounds of new and existing family care homes shall be maintained in a clean and safe condition: At the time of the survey it was observed that there was a damaged rocking chair next to the carport. Make arrangements to have the deficiency corrected. Provide documentation in the form of photos for all work completed.	C 183		