

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 000	Initial Comments The Adult Care Licensure Section conducted an annual and follow-up survey on 07/31/25. There were no residents residing in the facility. Based on review of the facility's License Renewal Application for 2025, the facility had not served residents since 04/01/23.	C 000		
C 034	10A NCAC 13G .0302(n) Design and Construction 10A NCAC 13G .0302 Design and Construction (n) The home shall have current sanitation and fire and building safety inspection reports which shall be maintained in the home and available for review. This Rule is not met as evidenced by: Based on observation, interviews, and record reviews, the facility failed to maintain current sanitation and fire and building safety inspection reports in the facility and have available for review. The findings are: Interview with the Administrator on 07/31/25 at 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. Observation of the facility on 07/31/25 from 5:30pm-5:45pm revealed: -There was a framed copy of the facility's license dated 01/01/23 sitting on the table in the living	C 034		

Division of Health Service Regulation

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 034	Continued From page 1 area. -There was a framed copy of the facility's star rating issued on 09/15/21 also sitting on the table. -There were no other documents observed in the facility. Second interview with the Administrator on 07/31/25 at 5:20pm revealed: -Staff was currently working in the facility. -Staff was cleaning up the facility so the residents could move in today, 07/31/25, and live there. -There were no current sanitation or fire inspection reports available for review. -"You may as well not go up there (to the facility) because none of that is current." -She planned to call the fire marshal and the Department of Environmental Health on 08/01/25 to get on their schedule for inspection.	C 034		
C 074	10A NCAC 13G .0315(a)(1) Housekeeping and Furnishings 10A NCAC 13G .0315 Housekeeping And Furnishings (a) Each family care home shall: (1) have walls, ceilings, and floors or floor coverings kept clean and in good repair; This Rule shall apply to new and existing homes. This Rule is not met as evidenced by: Based on observations and interviews, the facility failed to maintain walls, ceilings, and floors clean and in good repair in the kitchen, living room, two common bathrooms, and three resident bedrooms. The findings are: Interview with the Administrator on 07/31/25 at	C 074		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 074	Continued From page 2 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. Second interview with the Administrator on 07/31/25 at 5:20pm revealed staff was at the facility cleaning so residents could move in today, 07/31/25, and live there. Observation of the facility on 07/31/25 at 5:30pm revealed: -A staff was sweeping the floors in the living room. -There were multiple large piles of trash that had been swept and were scattered throughout the facility. Attempted interview with the staff on 07/31/25 at 5:30pm revealed the staff declined to answer questions and stated, "The owner is on the way." Observation of the first resident bedroom down the left hall and on the right side on 07/31/25 at 5:30pm revealed: -There were two areas (approximately 3 inches x 3 inches each) on the ceiling that were missing sheetrock. -There were multiple dark, black areas within the areas that were missing sheetrock. -There was a curtain hanging at the double window that was sagging in the middle on the curtain rod. -There were numerous scuff marks on the walls inside the bedroom closet. -There were multiple stains and dead bugs and debris on the floor.	C 074		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 074	Continued From page 3 Observation of the resident bathroom on the left hall on 07/31/25 at 5:35pm revealed: -There were multiple rust stains in the double sink. -There was trash and hair on top of the counter. -There was no water in the toilet and a dark, rust stain covered 3/4th of the toilet bowl. -The floor of the walk-in shower was dirty and there was a one inch by one inch rust stain near the drain. Observation of the kitchen on 07/31/25 at 5:37pm revealed: -The floors were dirty with debris, hair, and dead bugs. -The cabinet doors were left opened. -The laminate floor was peeling up and around the vent near the stove. Observation of the second resident bedroom down the right hall and on the right side on 07/31/25 at 5:40pm revealed: -The floors inside the closet were dirty. -There were scuff marks on the walls inside the closet. -There was debris along the baseboard behind the second bed. Observation of the resident bathroom on the right hall on 07/31/25 at 5:42pm revealed: -There was a rust stain covering 3/4th of the toilet bowl. -There was debris and trash on the shower floor. Observation of the third resident bedroom down the right hall on the left side on 07/31/25 at 5:42pm revealed: -There was a stain on the wall above the bed. -There was a second stain on the wall to the right of the bed.	C 074		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 074	Continued From page 4 -There was a large stain on the floor by the dresser. -There were multiple scuff marks on the wall inside the closet. Observation of the living room on 07/31/25 at 5:45pm revealed: -There was a double window facing the front of the facility. -The window on the left was raised up approximately 5 inches. -The window on the right was raised up approximately 10 inches. -The window sills were dirty with debris and dead bugs. -There were several stains below the window on the wall. -There were scuff marks on the floor. Third interview with the Administrator on 07/31/25 at 6:00pm revealed: -When asked why she stated earlier that the facility was ready for residents to move in, she stated, "staff was cleaning it." -No one had been living there "for a while."	C 074		
C 076	10A NCAC 13G .0315(a)(3) Housekeeping and Furnishings 10A NCAC 13G .0315 Housekeeping and Furnishings (a) Each family care home shall: (3) have furniture clean and in good repair; This Rule shall apply to new and existing homes. This Rule is not met as evidenced by: Based on observations and interviews, the facility	C 076		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 076	Continued From page 5 failed to maintain furniture in clean and good repair in the living room and three resident bedrooms. The findings are: Interview with the Administrator on 07/31/25 at 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. -There was furniture and bedding already in the facility. -The residents (residents from her two other facilities on the same property) were not bringing their belongings and clothing with them right now. Second interview with the Administrator on 07/31/25 at 5:20pm revealed staff was at the facility cleaning so residents could move in today, 07/31/25, and live there. Observation of the first resident bedroom down the left hall on the right side on 07/31/25 at 5:30pm revealed: -There were scuff marks on the top surface of one wooden dresser. -The top and bottom drawers were offline and would not close so that they were flush with the dresser's frame. -The door knobs were mismatched on the top drawer. -There were scuff marks on a second dresser and the second drawer of the dresser would not close flush with the frame. Observation of the second resident bedroom down the right hall on the right side on 07/31/25	C 076		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 076	Continued From page 6 at 5:40pm revealed: -There was a dark stain on top of the comforter on the first bed on the right. -The lamp shade, sitting next to the second bed on the left, was stained. -The top surface of the nightstand was dusty. -There was a recliner that had multiple stains on both armrests and the seat. -The recliner was worn in multiple places and dusty. Observation of the third resident bedroom down the right hall and on the left side on 07/31/25 at 5:42pm revealed: -There was a winged-back chair that had multiple stains. -The dresser had scuff marks on the top surface and the second drawer was offline and pulled out. Observation of the living room on 07/31/25 at 5:45pm revealed: -The love seat was stained and the right armrest was detached and hanging loose, creating a large hole underneath. -The sofa had multiple stains on its arms, seat, back, and frame. -The end table next to the sofa had a film of dust. Third interview with the Administrator on 07/31/25 at 6:00pm revealed: -When asked why she stated earlier that the facility was ready for residents to move in, she stated, "staff was cleaning it." -No one had been living there "for a while."	C 076		
C 077	10A NCAC 13G .0315(a)(4) Housekeeping and Furnishings 10A NCAC 13G .0315 Housekeeping and	C 077		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 077	Continued From page 7 Furnishings (a) Each family care home shall: (4) have a North Carolina Division of Environmental Health approved sanitation classification at all times; This Rule shall apply to new and existing homes. This Rule is not met as evidenced by: Based on observation, interviews, and record reviews, the facility failed to maintain an approved sanitation classification at all times. The findings are: Interview with the Administrator on 07/31/25 at 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. Observation of the facility on 07/31/25 from 5:30pm-5:45pm revealed: -There was a framed copy of the facility's license dated 01/01/23 sitting on the table in the living area. -There was a framed copy of the facility's star rating issued on 09/15/21 also sitting on the table. -There were no other documents observed in the facility. Second interview with the Administrator on 07/31/25 at 5:20pm revealed: -Staff was currently working in the facility. -Staff was at the facility cleaning so residents could move in today, 07/31/25, and live there. -There were no current sanitation report available for review. -"You may as well not go up there (to the facility)	C 077		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 077	Continued From page 8 because none of that is current." -She planned to call the Department of Environmental Health on 08/01/25 to get on their schedule for inspection.	C 077		
C 079	10A NCAC 13G .0315(a)(6) Housekeeping and Furnishings 10A NCAC 13G .0315 Housekeeping and Furnishings (a) Each family care home shall: (6) have supply of bath soap, clean towels, washcloths, sheets, pillow cases, blankets, and additional coverings adequate for resident use on hand at all times; This rule apply to new and existing homes. This Rule is not met as evidenced by: Based on observations and interviews, the facility failed to maintain a supply of bath soap, clean towels, washcloths, bed linens for resident use at all times. The findings are: Interview with the Administrator on 07/31/25 at 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. Second interview with the Administrator on 07/31/25 at 5:20pm revealed: -Staff was at the facility cleaning so residents could move in today, 07/31/25, and live there. -The residents (residents from her other two	C 079		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 079	Continued From page 9 facilities that were on the same property) were not bringing their clothes and belongings to this facility right now. Observations of the facility on 07/31/25 from 5:30pm-5:45pm revealed: -There were no bed linens, towels or wash cloths observed in the facility. -There were comforters on all six beds. -The comforter on the first bed down the right hall and in the resident bedroom on the right had a dark stain on the top. -The comforters on both beds in the bedroom down the right hall and in the resident bedroom on the left were covered in dust. -There were linens balled up on the floor of the closet in this same bedroom. -There was no supply of soap in either bathroom nor in the kitchen. -There was a laundry basket with three bottles of cleaning agents inside sitting on the dining room table. Third interview with the Administrator on 07/31/25 at 6:00pm revealed: -When asked why she stated earlier that the facility was ready for residents to move in, she stated, "staff was cleaning it." -No one had been living there "for a while."	C 079		
C 102	10A NCAC 13G .0317 (a) Building Service Equipment 10A NCAC 13G .0317 Building Service Equipment (a) The building and all fire safety, electrical, mechanical, and plumbing equipment in a family care home shall be maintained in a safe and	C 102		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 102	Continued From page 10 operating condition This Rule is not met as evidenced by: TYPE B VIOLATION Based on observations and interviews, the facility failed to ensure all fire safety and plumbing equipment was maintained in a safe and operating condition as evidenced by not having hot water and smoke detectors making a chirping noise. The findings are: Interview with the Administrator on 07/31/25 at 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. -The air conditioning was working and there was running water. Second interview with the Administrator on 07/31/25 at 5:20pm revealed: -Staff was currently working in the facility. -Staff was cleaning up the facility so the residents could move in today, 07/31/25, and live there. -There were no current sanitation or fire inspection reports available for review. -"You may as well not go up there (to the facility) because none of that is current." -She planned to call the fire marshal and the Department of Environmental Health on 08/01/25 to get on their schedule for inspection.	C 102		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 102	Continued From page 11 Observation of the facility on 07/31/25 from 5:30pm-5:45pm revealed: -A staff was sweeping the floors in the living room. -There was a chirping noise coming from the smoke detector in the kitchen. -The water in one resident's bathroom was cool; it did not warm up after running for approximately 30-45 seconds. -There was no water in either toilet in the resident bathrooms. -There were large rust stains covering both toilets in the resident bathrooms. -The air conditioner was running, but the air was not cool inside the facility. Attempted interview with the staff on 07/31/25 at 5:30pm revealed the staff declined to answer questions and stated, "The owner is on the way." Third interview with the Administrator on 07/31/25 at 6:00pm revealed: -When asked why she said earlier that the facility was ready for residents to move in, she stated, "well, the staff are cleaning it now." -The hot water heater and the air conditioner had just been turned back on because no one had been living in the facility for "a while." The facility failed to ensure the building and all fire safety and plumbing equipment was maintained in a safe and operating condition as evidenced by no hot water and an air conditioner that was not working properly. The Administrator wanted to move residents from her two other facilities that were abruptly closing. There were no residents residing in this facility, and the equipment was not maintained in a safe and operable manner in order to accommodate residents being admitted to the facility. This	C 102		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 102	Continued From page 12 failure was detrimental to the safety and welfare of residents, which constitutes a Type B Violation. A plan of protection was requested in accordance with G.S. 131D-34 on 08/05/25, but was not provided by 08/07/25. THE CORRECTION DATE FOR THIS TYPE B VIOLATION SHALL NOT EXCEED SEPTEMBER 14, 2025.	C 102		
C 112	10A NCAC 13G .0318(a) Outside Premises 10A NCAC 13G .0318 Outside Premises (a) The outside grounds of new and existing family care homes shall be maintained in a clean and safe condition. This Rule is not met as evidenced by: Based on observations and interviews, the facility failed to ensure the outside grounds were maintained in a clean and safe condition. The findings are: Interview with the Administrator on 07/31/25 at 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. Observation of the front of the house on 07/31/25 at 5:30pm revealed: -There was a gate in front of a cement ramp to the front door of the house that was off the hinge at the top and hanging crooked off of the fence	C 112		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 112	Continued From page 13 post. -There were vines and large weeds growing up the fence and out of the gutter. -The grass was 3-4 inches long. Observation of the shaded sitting area in the front yard on 07/31/25 at 5:33pm revealed: -There was a wooden shelter that was open on all sides, with a table and four chairs around it. -Three of the chairs were metal folding chairs and completely covered in rust. Observation of the back of the house on 07/31/25 at 5:35pm revealed: -There was a fence around the back yard with vines growing up it. -There was a cement ramp with hand rail going to the back of the house; the cement ramp was covered in leaves and debris. -The grass was not cut in the backyard. Second interview with the Administrator on 07/31/25 at 6:00pm revealed: -When asked why she stated earlier that the facility was ready for residents to move in, she stated, "staff was cleaning it." -No one had been living there "for a while."	C 112		
C 259	10A NCAC 13G .0904(a)(3) Nutrition and Food Service 10A NCAC 13G .0904 Nutrition and Food Service (a) Food Procurement and Safety in Family Care Homes: (3) There shall be a three-day supply of perishable food and a five-day supply of non-perishable food in the facility based on the menus established in Paragraph (c) of this Rule, for both regular and therapeutic diets. For the	C 259		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 259	Continued From page 14 purpose of this Rule "perishable food" is food that is likely to spoil or decay if not kept refrigerated at 40 degrees Fahrenheit or below, or frozen at zero degrees Fahrenheit or below and "non-perishable food" is food that can be stored at room temperature and is not likely to spoil or decay within seven days. This Rule is not met as evidenced by: TYPE B VIOLATION Based on observations and interviews, the facility failed to ensure a three-day supply of perishable food and a five-day supply of non-perishable food was maintained in the facility. The findings are: Interview with the Administrator on 07/31/25 at 3:40pm revealed: -The facility was ready for residents to move in. -Since the other two facilities on the property were closing, the residents (from those two facilities) wanted to live here and their guardians were in agreement. -There was food in the facility for residents to eat. Observation of the facility on 07/31/25 at 5:37pm revealed: -There were no menus available for review. -There was no food in the refrigerator or freezer. -There was one bag with a resident's insulin in the refrigerator that had been moved from the other home on the property. -There was no food in any of the cabinets in the kitchen.	C 259		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: FCL017038	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 07/31/2025
NAME OF PROVIDER OR SUPPLIER BEVERLY RUCKER FAMILY CARE HOME # 9		STREET ADDRESS, CITY, STATE, ZIP CODE 6912 NC HWY 150 REIDSVILLE, NC 27320		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 259	Continued From page 15 Second interview with the Administrator on 07/31/25 at 6:00pm revealed: -No one had live in the facility in "a while." -When asked why she stated earlier that there was food available in the facility, she stated, "I was making arrangements for the residents to have supper." -She planned on going to purchase groceries tomorrow, 08/01/25. The facility failed to ensure there was an adequate food supply of perishable and non-perishable foods for residents, who were potentially being relocated to this facility from two sister facilities that were abruptly closing. This failure was detrimental to the health and welfare of residents, which constitutes a Type B Violation. A plan of protection was requested in accordance with G.S. 131D-34 on 08/05/25, but was not provided by 08/07/25. THE CORRECTION DATE FOR THIS TYPE B VIOLATION SHALL NOT EXCEED SEPTEMBER 14, 2025.	C 259		