

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 355044		(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILD... B. WING		(X3) DATE SURVEY COMPLETED 03/24/2026	
NAME OF PROVIDER OR SUPPLIER MOUNTRAIL BETHEL HOME				STREET ADDRESS, CITY, STATE, ZIP CODE 615 6TH ST SE PO BOX 700, STANLEY, North Dakota, 58784			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
K0000 Bldg. 01	INITIAL COMMENTS This survey used the 2012 edition of NFPA 101, Life Safety Code, Chapter 18-New Health Care Occupancies, Chapter 19-Existing Health Care Occupancies and the 2012 edition of NFPA 99, Health Care Facilities Code in compliance with 42 CFR 483.70(a)(b). This facility was located in a one-story building with a partial basement. The building was of Type II (000) construction protected with a wet and dry automatic sprinkler system designed to meet the requirements of NFPA 13, Standard for Installation of Sprinkler Systems. A one-story addition of Type II (000) construction was attached to the east side of the building in 2019. A one-story addition of Type II (000) was attached to the north side in 2026. The 2019 and 2026 additions were surveyed using Chapter 18. The following were attached to the facility and separated by occupancy separation walls having a two-hour fire resistance rating: 1) Attached to the west was a one-story hospital. 2) Attached to the southwest was a pool wing Aquatic Center. 3) Attached to the southeast were Assisted Living Apartments. Note: At the conclusion of the 03/24/2026 Life Safety Code survey, it was determined the facility was in compliance with the provisions of NFPA 101, Life Safety Code.			K0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE	(X6) DATE
---	--	-------	-----------

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 355044		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 03/24/2026	
NAME OF PROVIDER OR SUPPLIER MOUNTRAIL BETHEL HOME				STREET ADDRESS, CITY, STATE, ZIP CODE 615 6TH ST SE PO BOX 700, STANLEY, North Dakota, 58784			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
E0000	Initial Comments A recertification survey conducted on 03/24/2026 found Mountrail Bethel Home in compliance with the requirements of 483.73 Long-Term Care Facilities Emergency Preparedness.			E0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------