

Division of Health Improvement

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 2208	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/18/2010
NAME OF PROVIDER OR SUPPLIER CASA PALO DURO (ACTIVE SOLUTIONS, INC)		STREET ADDRESS, CITY, STATE, ZIP CODE 7808 PALO DURO NE ALBUQUERQUE, NM 87110		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 00	NO DEFICIENCIES This Facility is in Compliance with all New Mexico Regulations Governing Adult Residential Care Facilities 7 NMAC 8.2. No deficiencies were cited on 03/18/10 for New Mexico Regulations Governing Adult Residential Care Facilities, NMAC 7.8.2.	A 00		

Division of Health Improvement

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE