

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 6/15/2026
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 12/16/2024	
NAME OF PROVIDER OR SUPPLIER ATRIA SEVILLE				STREET ADDRESS, CITY, STATE, ZIP CODE 2000 N RAMPART BLVD, LAS VEGAS, NEVADA ,89128			
(X4) ID PREFIX TAG 0000	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG 0000	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE		
	Initial Comments Inspector Comments: This Statement of Deficiencies was generated as a result of a complaint investigation survey, completed at your facility on 09/12/24, in accordance with Nevada Administrative Code (NAC) Chapter 449, Requirements for Residential Facilities for Groups. The facility is licensed for 144 Residential Facility for Group beds for elderly and disabled persons and/or Assisted Living Services and/or persons with chronic illness and/or persons with mental illness, 103 Category I residents and 41 Category II residents. The census at the time of the survey was 109. The sample size was five. The facility received a grade of A. There were two complaints investigated. Substantiated without deficient Practice: 1. Complaint #NV00072604 was substantiated with no deficient practice. Unsubstantiated: 2. Complaint #NV00072699 could not be substantiated. No regulatory deficiencies could be identified. The investigation of complaint included: Observation of grooming and physical appearance for residents, incontinence care, and a tour of the facility. Interviews were conducted with Residents, Caregivers and the Administrator. Record Review of five medical records. Document Review included policies and procedures, and incident reports. The findings and conclusions of any investigation by the Division of Public and Behavioral Health shall not be construed as prohibiting any criminal or civil investigation, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. There were no regulatory deficiencies identified. No further action is necessary. Please retain a copy for your records.						

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER Name:
REPRESENTATIVE'S SIGNATURE

Title:

Date:

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.