
Delivery via email to: celliott@moradaseniorliving.com

October 30, 2025

License Number: AL5503

Ms. Catina Elliott, Administrator
Morada Southridge
2500 Southwest 89th Street
Oklahoma City, OK 73159

RE: Survey Event ID: M1MT11

Dear Ms. Elliott:

On **October 22, 2025**, agents from our office concluded a State Licensure survey with complaint at your facility. The deficiencies found during the survey are identified on the enclosed STATE FORM.

These deficiencies represented the potential for more than minimal harm. Your facility will be given an opportunity to correct deficiencies prior to assessing penalties, however, if upon revisit your facility has not corrected the deficiencies penalties will be applied starting on **October 22, 2025**.

Please note the items listed in the deficiency column of the STATE FORM. You have two choices of methods to prepare the written plan of correction (POC). The first method is to type the plan of correction and anticipated date of completion in the space provided on the right half of the STATE FORM. If additional space is needed, supplemental sheets may be attached.

The second method is to prepare your plan on the Optional Plan of Correction Template (attached). Use of the template is voluntary. It is intended to help you submit a complete and acceptable plan of correction. If you choose to use the optional template, complete one template for each deficiency cited on the STATE FORM. In the space provided on the right half of the STATE FORM, type a notation that the plan of correction is being submitted using the optional template. Copies of the form and instructions are available at:

<http://www.ok.gov/health>. This link opens the OSDH home page. To find the optional POC, **click on Services**, then **click on Long Term Care**. The link to the forms can be found by selecting **Long Term Care Forms** on the left menu column.

To be found acceptable by the OSDH, the plan of correction must:

- (1) Address how corrective action will be accomplished for affected residents;
- (2) Address how other residents with the potential to be affected will be identified;
- (3) Address measures or systemic changes to ensure the deficiency will not recur;
- (4) Indicate how the center plans to monitor performance to ensure corrections are sustained;
- (5) Include dates when corrective action and monitoring will be completed for each violation;
- (6) Be signed by the administrator.

Your development of the evidence referenced in item 4, above, is very important for establishing the actual date your assisted living center corrected deficiencies and achieved compliance under the Continuum of Care and Assisted Living Act. If the required evidence is available when the OSDH conducts a revisit, then the earliest date of compliance shown in the evidence can be used by the OSDH to establish the effective date of correction and compliance. However, if there is no evidence of quality assurance being implemented, the correction date can be no earlier than the date of the OSDH revisit. If the required evidence is not available, the revisit may result in a repeated deficiency statement and another plan of correction may be required.

Avoid naming individuals, business firms or brand names on the enclosed form and any attachments. The document will be a public record and any such names will be available for disclosure.

Please sign, date and return the completed form, along with any attachments, supplements and templates, to this office within ten (10) OSDH business days of your receipt of this letter. OSDH business days are Monday through Friday, excluding state holidays. Failure to submit a Plan of Correction will not delay the subsequent revisit or any other phase of the enforcement process. Please retain a copy of the completed form for your files.

In accordance with O.S. 63-1-895, you have one opportunity to dispute citations of deficient practice through an informal dispute resolution (IDR) process. *The IDR in no way is to be construed as a formal evidentiary hearing; it is an informal administrative process to discuss deficiencies.* If you choose to contest a cited deficiency, the facility must complete an IDR Request Form (ODH Form 833AL). An explanation must be listed for each disputed deficiency. An attachment is acceptable if additional space is required for the dispute explanation. The IDR Coordinator may be contacted at (405) 426-8200 or at the address below to acquire a copy of the ODH Form 833AL and the Oklahoma IDR Process for Assisted Living Centers.

The IDR request must be submitted within 10 calendar days from receipt of the State Form deficiency statement. Failure to submit a completed IDR Request form and supporting documentation within this timeframe waives your right to the IDR. Failure to complete the IDR timely will not delay the effective date of any enforcement action against the facility. A designee of the Department shall conduct the IDR. The IDR may be accomplished by a desk review, conducted in a face-to-face, or virtual meeting. The facility shall receive written confirmation of the IDR results.

The facility must submit the completed IDR Request Form and supporting documentation under separate cover to:

IDR Coordinator
Long Term Care
Protective Health Services
Oklahoma State Department of Health
123 Robert S. Kerr Ave, Ste. 1702
Oklahoma City, OK 73102-6406

Facilities may not use the IDR process to delay the formal imposition of remedies or to challenge any other aspect of the survey process, including the:

- Remedy(ies) imposed by the Department,
- Alleged failure of the surveyor to comply with a requirement of the survey process;
- Alleged inconsistency of the surveyor in citing deficiencies among facilities; or
- Alleged inadequacy or inaccuracy of the informal dispute resolution process

If you have any questions regarding the IDR process, please contact the IDR Coordinator via email at IDRCoordinator@health.ok.gov, or telephone at (405) 426-8200.

If you have questions or need assistance, please feel free to send an email to LTCEnforcement@health.ok.gov or call (405) 426-8200. When writing or calling, indicate whether you are asking about the enforcement process, or about the survey process and deficiencies, and your inquiry will be directed to the appropriate available staff members.

Respectfully,



Lisa Calvin, Enforcement Analyst II
Long Term Care | Enforcement Division
Oklahoma State Department of Health

Enclosure

INVESTIGATIVE REPORT

Facility: Morada Southridge
Address: 2500 SW 89th St.
City, State, Zip: OKC, OK, 73159
Provider #: AL5503
Complaint #: OK00084842
Investigation Date(s): 10/20/25 through 10/22/25

ALLEGATION(S)
The center failed to issue a refund for services not rendered.
The center failed to complete accurate assessments to ensure safe admissions.

An unannounced on-site investigation was initiated 10/20/2025 at 1:05 p.m.

A sample of 8 residents, including any identified residents, was selected for the investigation based on the concerns relevant to the allegation(s).

The investigation was conducted following standards set by the statutes, rules and regulations of the State of Oklahoma utilizing Investigative Protocols. Evidence was obtained through observations; interviews with residents, family members, staff members and others as indicated; and review of pertinent written and electronic records.

A Summary of Complaint Investigation:

A tour of the center was conducted upon entrance and at other various times throughout the survey. Resident halls, rooms, and common areas were observed. Facility contracts were reviewed.

Resident records including assessments, service plans, and contracts were reviewed. Grievances and state reports were reviewed.

Residents were interviewed regarding financial concerns.

Staff were interviewed to the provisions of the policy and procedure for refunds.

The attached State form, Statement of Deficiencies, will identify any deficiencies cited.

Thank you for bringing your concerns to our attention.

Oklahoma State Department of Health
Long Term Care Service

Date report completed: 10/24/2025

Oklahoma State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL5503	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 10/22/2025
NAME OF PROVIDER OR SUPPLIER MORADA SOUTHRIDGE		STREET ADDRESS, CITY, STATE, ZIP CODE 2500 SOUTHWEST 89TH STREET OKLAHOMA CITY, OK 73159		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 000	INITIAL COMMENTS A relicensure survey with complaint (#OK00084842) was conducted from 10/20/25 through 10/22/25. Deficiencies were cited as a result of the survey. Facility Census: 22 Listed below are abbreviations that will be used throughout this document. ED- executive director QA- quality assurance	C 000		
C1110 SS=D	310:663-11-1 QUALITY ASSURANCE COMMITTEE (1) Each assisted living center shall establish and maintain an internal quality assurance committee that meets at least quarterly. The committee shall: (1) monitor trends and incidents; (2) monitor customer satisfaction measures; and (3) document quality assurance efforts and outcomes. This Rule is not met as evidenced by: Based on record review and interview, the center failed to ensure the QA committee met on a quarterly basis. The ED identified 22 residents resided at the center. Findings: A review of the QA meeting agendas from May 2024 through October 2025 was conducted.	C1110		

Oklahoma State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Oklahoma State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL5503	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 10/22/2025
NAME OF PROVIDER OR SUPPLIER MORADA SOUTHRIDGE		STREET ADDRESS, CITY, STATE, ZIP CODE 2500 SOUTHWEST 89TH STREET OKLAHOMA CITY, OK 73159		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C1110	Continued From page 1 There was no documentation provided to show a QA meeting was completed July 2024 through September 2024 (3rd quarter), October 2024 through December 2024 (4th quarter), January 2025 through March 2025 (1st quarter) and July 2025 through September 2025 (3rd quarter). On 10/22/25 at 7:40 a.m., the ED was asked how often QA meetings were held. They stated it should be done quarterly.	C1110		

Delivery via email to: celliott@moradaseniorliving.com

November 7, 2025

License Number: AL5503

Ms. Catina Elliott, Administrator
Morada Southridge
2500 Southwest 89th Street
Oklahoma City, OK 73159

RE: Survey Event M1MT11

Dear Ms. Elliott:

On **October 22, 2025**, a Licensure inspection with complaint investigation was conducted at your Assisted Living Center facility. Deficiencies were identified and we have received your plan of correction for these deficiencies. Your plan of correction is acceptable.

This acceptance acknowledges that your facility has indicated a willingness and ability to make corrections adequately and timely. Our acceptance does not absolve the facility's responsibility for compliance should the implementation not result in correction and compliance.

You have alleged that the deficiencies cited on that survey will be corrected and you will be in substantial compliance by **November 30, 2025**.

We will conduct a revisit for your facility to verify that all violations have been corrected. If you have any questions, please contact this office at (405) 426-8200.

Respectfully,



Lisa Calvin, Enforcement Analyst II
Long Term Care | Enforcement Division
Oklahoma State Department of Health

Enclosure



Oklahoma State
Department of Health
Creating a State of Health

Protective Health Services
Long Term Care Service

OPTIONAL PLAN OF CORRECTION TEMPLATE

Current Date: 11/5/2025

Facility Name: Morada Southridge

License Number: AL5503

Survey Event ID: M1MT11

Date Survey Completed: 10/22/2025

SUMMARY OF DEFICIENCY CITED BY OSDH

ID Prefix Tag: C1110

Based on: Record review and interview, the center failed to ensure the QA committee met on a quarterly basis.

ASSISTED LIVING CENTER'S PLAN OF CORRECTION

Assisted Living Center's Comments: Enter the assisted living center's opening comments or disclosure statement (Optional):

REQUIRED ELEMENTS OF A PLAN

1. How will the corrective action be accomplished for those residents found to have been affected by the deficient practice?

OSDH Response: Element accepted Yes ☐ No ☐

2. How will other residents having the potential to be affected by the same deficient practice be identified?

OSDH Response: Element accepted Yes ☐ No ☐

3. What measures will be put into place or systemic changes made to ensure that the deficient practice will not recur?

OSDH Response: Element accepted Yes ☐ No ☐

4. How will the assisted living center monitor its performance to make sure corrections are sustained? Include:

- a. How the correction will be evaluated for effectiveness;
- b. How the correction will be incorporated into the center's quality assurance system; and
- c. How monitoring records will be kept to evidence the correction.

OSDH Response: Element accepted Yes ☐ No ☐

5. On what date will corrective action be completed?

OSDH Response: Element accepted Yes ☐ No ☐

Administrator's Signature

Cahia Ellett

Date Enter a date of signature.

11/05/2025

OAC 310:663-25-4(F)

If this sheet amends or adds information to a Plan of Correction previously submitted, indicate the date of the addendum and by whom it is submitted.

Addendum Date Enter a date of addendum.

Submitted by

Enter name of person submitting addendum.

Items Below Are For OSDH Use Only

Plan of Correction: ☐ Acceptable ☐ Unacceptable Date: Click here to enter a date. Surveyor: Surveyor

If Plan of Correction is unacceptable, the reasons are as follows: Click here to enter text.

Facility in Compliance by: Click here to enter a date.

Oklahoma State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL5503	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 10/22/2025
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

MORADA SOUTHRIDGE

2500 SOUTHWEST 89TH STREET

OKLAHOMA CITY, OK 73159

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 000	INITIAL COMMENTS A relicensure survey with complaint (#OK00084842) was conducted from 10/20/25 through 10/22/25. Deficiencies were cited as a result of the survey. Facility Census: 22 Listed below are abbreviations that will be used throughout this document. ED- executive director QA- quality assurance	C 000		
C1110 SS=D	310:663-11-1 QUALITY ASSURANCE COMMITTEE (1) Each assisted living center shall establish and maintain an internal quality assurance committee that meets at least quarterly. The committee shall: (1) monitor trends and incidents; (2) monitor customer satisfaction measures; and (3) document quality assurance efforts and outcomes. This Rule is not met as evidenced by: Based on record review and interview, the center failed to ensure the QA committee met on a quarterly basis. The ED identified 22 residents resided at the center. Findings: A review of the QA meeting agendas from May 2024 through October 2025 was conducted.	C1110		

Oklahoma State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Oklahoma State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL5503	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 10/22/2025
NAME OF PROVIDER OR SUPPLIER MORADA SOUTHRIDGE		STREET ADDRESS, CITY, STATE, ZIP CODE 2500 SOUTHWEST 89TH STREET OKLAHOMA CITY, OK 73159			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
C1110	Continued From page 1 There was no documentation provided to show a QA meeting was completed July 2024 through September 2024 (3rd quarter), October 2024 through December 2024 (4th quarter), January 2025 through March 2025 (1st quarter) and July 2025 through September 2025 (3rd quarter). On 10/22/25 at 7:40 a.m., the ED was asked how often QA meetings were held. They stated it should be done quarterly.	C1110			

Delivery via email to: celliott@moradaseniorliving.com

December 5, 2025

License Number: AL5503

Ms. Catina Elliott, Administrator
Morada Southridge
2500 Southwest 89th Street
Oklahoma City, OK 73159

RE: Survey Event M1MT12

Dear Ms. Elliott:

On **December 5, 2025**, an offsite/paper revisit was conducted at your facility by this agency. The findings of the revisit indicate that the deficiencies cited during your survey with complaints on **October 22, 2025**, have now been corrected effective **November 30, 2025**.

If you have any questions concerning the information in this letter, please contact the Enforcement worker at (405) 426-8200.

Respectfully,



Lisa Calvin, Enforcement Analyst II
Long Term Care | Enforcement Division
Oklahoma State Department of Health

Enclosure

Oklahoma State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL5503	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R-C 12/05/2025
NAME OF PROVIDER OR SUPPLIER MORADA SOUTHRIDGE		STREET ADDRESS, CITY, STATE, ZIP CODE 2500 SOUTHWEST 89TH STREET OKLAHOMA CITY, OK 73159		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{C 000}	INITIAL COMMENTS An offsite/paper revisit was conducted on 12/05/25. The facility was in substantial compliance.	{C 000}		

Oklahoma State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE