
Delivery via email to: bchappell@trinitywoodstulsa.com

October 23, 2025

License Number: AL7226

Ms. Britani Chappell, Administrator
Trinity Woods, Inc
3130 South Sandusky Ave
Tulsa, OK 74135

RE: Survey Event ID: CCL411

Dear Ms. Chappell:

Enclosed is a report of the inspection conducted at your Assisted Living Center on **October 14, 2025**. No deficiencies were cited. Oklahoma Statutes 63-1-1910 require that this report be made available for public inspection within the facility for the next three years.

If you have any questions concerning this report, please call me at (405) 426-8200.

Respectfully,



Lisa Calvin, Enforcement Analyst II
Long Term Care | Enforcement Division
Oklahoma State Department of Health

Enclosure

Oklahoma State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL7226	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/14/2025
NAME OF PROVIDER OR SUPPLIER TRINITY WOODS, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 3130 SOUTH SANDUSKY AVE TULSA, OK 74135		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
C 000	INITIAL COMMENTS A relicensure survey was conducted from 10/13/25 through 10/14/25. No deficiencies were cited. Facility Census: 65	C 000		

Oklahoma State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE