

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

May 15, 2026

[REDACTED]
SOUTHWEST BEHAVIORAL CARE INC
[REDACTED]
[REDACTED]

RE: BARCLAY PLACE
320 WEST PITTSBURGH STREET
GREENSBURG, PA, 15601
LICENSE/COC#: 45387

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/10/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: BARCLAY PLACE

License #: 45387

License Expiration: 08/03/2026

Address: 320 WEST PITTSBURGH STREET, GREENSBURG, PA 15601

County: WESTMORELAND

Region: WESTERN

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: SOUTHWEST BEHAVIORAL CARE INC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: R-4

Date: 04/20/2022

Issued By: Greensburg

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 14

Waking Staff: 11

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 12/10/2025

Inspection Dates and Department Representative

12/10/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 14

Residents Served: 14

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 14

Are 60 Years of Age or Older: 4

Diagnosed with Mental Illness: 14

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 0

Have Physical Disability: 0

Inspections / Reviews

12/10/2025 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND