



Department of Disabilities, Aging and
Independent Living
Division of Licensing and Protection
280 State Drive/HC 2 South
Waterbury, VT 05671-2060
www.dlp.vermont.gov

[phone] 802-241-0344
[fax] 802-241-0343

AGENCY OF HUMAN SERVICES

June 10, 2026

Ms. Kate Gladden, Administrator
Franklin County Rehab Center, LLC
110 Fairfax Road
St. Albans, VT 05478

Provider ID #: 475047

Dear Ms. Gladden:

On **June 9, 2026**, we conducted a revisit to the survey of **April 22, 2026**, to verify that your facility had achieved substantial compliance. Based on our revisit, we found that your facility is in substantial compliance with participation requirements found in Title 42, Code of Federal Regulations as of **June 2, 2026**.

If you have any questions concerning this letter, please contact me at (802) 241-0480.

Sincerely,

A handwritten signature in black ink that reads "Pamela M. Cota RN".

Pamela M. Cota, RN, BS
Assistant Division Director
State Survey Agency Director

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475047		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 06/09/2026	
NAME OF PROVIDER OR SUPPLIER Franklin County Rehab Center, LLC				STREET ADDRESS, CITY, STATE, ZIP CODE 110 Fairfax Road , St. Albans, Vermont, 05478			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F0000	INITIAL COMMENTS The Division of Licensing and Protection conducted an unannounced, onsite revisit survey on the date indicated in the upper right-hand corner of this form. The violations previously identified have been corrected.			F0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------