

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0019946	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 08/19/2025
NAME OF PROVIDER OR SUPPLIER AUTUMN OAKS		STREET ADDRESS, CITY, STATE, ZIP CODE 227 EAST WASHINGTON STREET SLINGER, WI 53086			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
N 000	Initial Comments On 08/19/2025, Surveyor conducted a complaint investigation at Autumn Oaks, a Community-Based Residential Facility (CBRF) in Slinger, WI. No deficiencies identified. Complaint unsubstantiated. Census: 25	N 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE