

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0018811	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R-C 02/23/2024
NAME OF PROVIDER OR SUPPLIER LAUREL OAKS			STREET ADDRESS, CITY, STATE, ZIP CODE 1700 W BENDER ROAD GLENDALE, WI 53209		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{U 000}	INITIAL COMMENTS On 02/23/2024, Surveyor conducted verification visit and 2 complaint investigations at Laurel Oaks. No deficiencies were identified. Two of 2 complaints were unsubstantiated. Under statutory Provisions of Wis. State. Ch. 50, a \$200 revisit fee is being assessed. Census: 103	{U 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE