

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0019965	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 05/21/2026
NAME OF PROVIDER OR SUPPLIER MARSHALL HOUSE			STREET ADDRESS, CITY, STATE, ZIP CODE 1325 S 12TH ST MANITOWOC, WI 54220		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
M 000	INITIAL COMMENTS On 05/21/2026, Surveyor conducted a standard survey and 1 complaint investigation at Marshall House in Manitowoc. One (1) of 1 complaint was unsubstantiated. As a result of the survey, no deficiencies were issued. Census: 3	M 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE