

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0015335	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R-C 11/03/2023
NAME OF PROVIDER OR SUPPLIER HAMILTON PARK PLACE			STREET ADDRESS, CITY, STATE, ZIP CODE 2525 HAMILTON STREET PORTAGE, WI 53901		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{N 000}	Initial Comments On 11/03/2023, Surveyor conducted 1 verification visit at Hamilton Park Place. No deficiencies were identified. The one deficiency from Statement Of Deficiency (SOD) #L5VC11 dated 07/13/2023 was corrected. Under statutory provisions of Wis. Stat. ch. 50, a \$200 revisit fee is being assessed. Census: 21	{N 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE