

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0019652	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 09/04/2025
NAME OF PROVIDER OR SUPPLIER EVERGREEN			STREET ADDRESS, CITY, STATE, ZIP CODE 1126 EVERGREEN LN CHIPPEWA FALLS, WI 54729		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{N 000}	Initial Comments On 09/04/2025, Surveyor conducted a verification visit at Evergreen. The deficiency from SOD RVUB12, dated 06/16/2025, was corrected. No deficiencies were identified. Census: 5 Under statutory provisions of Wis. Stat. ch. 50, a \$200 revisit fee is being assessed.	{N 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE