

Wisconsin Department of Health Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0019952	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 02/16/2026
NAME OF PROVIDER OR SUPPLIER BARRETT HOUSE OF GREEN LAKE RCAC			STREET ADDRESS, CITY, STATE, ZIP CODE 850 SUNNYSIDE RD GREEN LAKE, WI 54941		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
U 000	INITIAL COMMENTS On 02/11/2026 with additional information gathered through 02/16/2026, Surveyor conducted a complaint investigation and standard survey at Barrett House of Green Lake RCAC. As a result no deficiencies were identified. The complaint was unsubstantiated. Census: 17	U 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE