


3/6/2014

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number ALF005	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 3/6/2014
Name of Facility PRIMROSE RETIREMENT COMMUNITY OF CASPER	Street Address, City, State, Zip Code 1865 SO BEVERLY STREET CASPER, WY 82609	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>S5023</u> Reg. # <u>Ch 12 Sec 7 (b)(iv)(A-C)</u> LSC _____	Correction Completed 02/10/2014	ID Prefix <u>S5024</u> Reg. # <u>Ch 12 Sec 7 (b)(v)(A)</u> LSC _____	Correction Completed 02/10/2014	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By <u>B</u> <u>3/6/14</u>	Date: _____	Signature of Surveyor: 	Date: <u>3/6/14</u>
Reviewed By _____ CMS RO	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on: 12/13/2013	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO
--	--