

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number ALF017	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 04/17/2015
Name of Facility HOMESTEAD ASSISTED LIVING		Street Address, City, State, Zip Code 950 HOMESTEAD AVENUE RIVERTON, WY 82501

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix S8015 Reg. # NFPA LSC _____	Correction Completed 04/01/2015	ID Prefix S8018 Reg. # NFPA LSC _____	Correction Completed 04/15/2015	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By <i>SLH</i>	Date: <i>4/22/15</i>	Signature of Surveyor: <i>[Signature]</i> 34354	Date: <i>4/17/15</i>
Reviewed By _____ CMS RO	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on: 03/10/2015	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO
--	--