

Healthcare Licensing and Surveys

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: ALF005	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 07/02/2024
NAME OF PROVIDER OR SUPPLIER PRIMROSE RETIREMENT COMMUNITY OF CA			STREET ADDRESS, CITY, STATE, ZIP CODE 1865 SO BEVERLY STREET CASPER, WY 82601		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{S 000}	General Comments A Life Safety Code revisit survey was conducted by Healthcare Licensing and Surveys on 07/02/2024 for all previous deficiencies identified on 05/14/2024. All deficiencies have been corrected, and no new noncompliance was found. The facility is now in compliance.	{S 000}			

Wyoming Dept of Health, Aging Division, Healthcare Licensing and Surveys

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE